

# Pinnacle Series



## CLAD PATIO DOOR - NARROW SLIDER

### ELEVATIONS

SCALE: 1/8" = 1'-0"

	Mas. Opg. Clad Rough Opg. Frame Glass	2-8 3/4	4-11 3/4	7-7 3/4	9-9 5/16
		2-8 3/4	4-11 3/4	7-7 3/4	9-9 5/16
		2-8	4-11	7-7	9-8 9/16
		25	25	25	25
6-8	6-8 6-7 1/2 71 3/4				
		2668-S	5068-OX	7668-OX/S	10068-OXXO
6-11	6-11 6-10 1/2 74 3/4				
		26610-S	50610-OX	76610-OX/S	100610-OXXO
8-0	8-0 7-11 1/2 87 3/4				
		2680-S	5080-OX	7680-OX/S	10080-OXXO

### OTHER GRILLE PATTERNS



### UNIT SIZE INFORMATION

- FOR CLAD BRICKMOULD**
- ADD 2 13/16" TO FRAME WIDTH
  - ADD 1 13/32" TO FRAME HEIGHT
- FOR CLAD WILLIAMSBURG**
- ADD 6 1/2" TO FRAME WIDTH
  - ADD 3 1/4" TO FRAME HEIGHT

NOTE:  
ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
TO CALCULATE MASONRY OPENING

	Mas. Opg. Clad Rough Opg. Frame Glass	3-2 3/4	5-11 3/4	9-1 3/4	11-9 5/16
		3-2 3/4	5-11 3/4	9-1 3/4	11-9 5/16
		3-2	5-11	9-1	11-8 9/16
		31	31	31	31
6-8	6-8 6-7 1/2 71 3/4				
		3068-S	6068-OX	9068-OX/S	12068-OXXO
6-11	6-11 6-10 1/2 74 3/4				
		30610-S	60610-OX	90610-OX/S	120610-OXXO
8-0	8-0 7-11 1/2 87 3/4				
		3080-S	6080-OX	9080-OX/S	12080-OXXO

NOTES:  
CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.

# Pinnacle Series



## CLAD PATIO DOOR - NARROW SLIDER

### ELEVATIONS

SCALE: 1/8" = 1'-0"

	4-2 3/4	7-11 3/4	12-1 3/4	15-9 5/16
Mas. Opg. Clad	4-2 3/4	7-11 3/4	12-1 3/4	15-9 5/16
Rough Opp.	4-2	7-11	12-1	15-8 9/16
Frame	43	43	43	43
Glass				
6-8 6-8 6-7 1/2 7 1 3/4				
	4068-S	8068-OX	12068-OX/S	16068-OXXO
6-11 6-11 6-10 1/2 7 4 3/4				
	40610-S	80610-OX	120610-OX/S	160610-OXXO
8-0 8-0 7-11 1/2 8 7 3/4				
	4080-S	8080-OX	12080-OX/S	16080-OXXO

### OTHER GRILLE PATTERNS



### UNIT SIZE INFORMATION

- FOR CLAD BRICKMOULD**
- ▣ ADD 2 13/16" TO FRAME WIDTH
  - ▣ ADD 1 13/32" TO FRAME HEIGHT
- FOR CLAD WILLIAMSBURG**
- ▣ ADD 6 1/2" TO FRAME WIDTH
  - ▣ ADD 3 1/4" TO FRAME HEIGHT

NOTE:  
ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
TO CALCULATE MASONRY OPENING

NOTES:  
CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.

# Pinnacle Series

## PATIO DOOR - FRENCH SLIDER

### ELEVATIONS

SCALE: 1/8" = 1'-0"

	2-10 3/4	5-1 3/4	7-9 3/4	9-11 5/16
Mas. Opp. Primed	2-8 3/4	4-11 3/4	7-7 3/4	9-9 5/16
Mas. Opp. Clad	2-8 3/4	4-11 3/4	7-7 3/4	9-9 5/16
Rough Opp.	2-8	4-11	7-7	9-8 9/16
Frame	21 1/4	21 1/4	21 1/4	21 1/4
Glass				
6-9				
6-8				
6-8				
6-7 1/2				
64	2668-S	5068-OX	7668-OX/S	10068-OXXO
7-0				
6-11				
6-11				
6-10 1/2				
67	26610-S	50610-OX	76610-OX/S	100610-OXXO
8-1				
8-0				
8-0				
7-11 1/2				
80	2680-S	5080-OX	7680-OX/S	10080-OXXO
9-0				
9-0				
8-11 1/2				
92	2690-S (CLAD ONLY)	5090-OX (CLAD ONLY)		10090-OXXO (CLAD ONLY)
10-0				
10-0				
9-11 1/2				
104	26100-S (CLAD ONLY)	50100-OX (CLAD ONLY)		100100-OXXO (CLAD ONLY)

#### UNIT SIZE INFORMATION

- FOR CLAD BRICKMOULD**
  - ADD 2 13/16" TO FRAME WIDTH
  - ADD 1 13/32" TO FRAME HEIGHT
- FOR CLAD WILLIAMSBURG**
  - ADD 6 1/2" TO FRAME WIDTH
  - ADD 3 1/4" TO FRAME HEIGHT
- FOR PRIMED WM-180**
  - ADD 2" TO FRAME WIDTH
  - ADD 1" TO FRAME HEIGHT
- FOR PRIMED 3 1/2" FLAT CASING**
  - ADD 5 1/32" TO FRAME WIDTH
  - ADD 2 1/2" TO FRAME HEIGHT
- FOR PRIMED 4 1/2" BACKBAND**
  - ADD 7 1/32" TO FRAME WIDTH
  - ADD 3 1/2" TO FRAME HEIGHT
- FOR PRIMED 5 1/2" FLAT CASING**
  - ADD 9 1/32" TO FRAME WIDTH
  - ADD 4 1/2" TO FRAME HEIGHT
- FOR PRIMED WILLIAMSBURG**
  - ADD 5 17/32" TO FRAME WIDTH
  - ADD 2 1/4" TO FRAME HEIGHT
- FOR PRIMED PLANTATION**
  - ADD 5 1/32" TO FRAME WIDTH
  - ADD 5 1/2" TO FRAME HEIGHT

NOTE:  
ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
TO CALCULATE MASONRY OPENING

\* OTHER GRILLE PATTERNS AVAILABLE

NOTES:  
CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING  
PRIMED MASONRY OPENINGS ARE FOR STANDARD 180 BRICKMOULD

# Pinnacle Series

## PATIO DOOR - FRENCH SLIDER

### ELEVATIONS

SCALE: 1/8" = 1'-0"

Mas. Opp. Primed  
 Mas. Opp. Clad  
 Rough Opp.  
 Frame  
 Glass


3-4 3/4  
 3-2 3/4  
 3-2 3/4  
 3-2  
 27 1/4

6-1 3/4  
 5-11 3/4  
 5-11 3/4  
 5-11  
 27 1/4


9-3 3/4  
 9-1 3/4  
 9-1 3/4  
 9-1  
 27 1/4

11-11 5/16  
 11-9 5/16  
 11-9 5/16  
 11-8 9/16  
 27 1/4


6-9  
 6-8  
 6-8  
 6-7 1/2  
 64




3068-S



6068-OX




9068-OX/S




12068-OXXO


7-0  
 6-11  
 6-11  
 6-10 1/2  
 67




30610-S



60610-OX




90610-OX/S




120610-OXXO


8-1  
 8-0  
 8-0  
 7-11 1/2  
 80




3080-S



6080-OX




9080-OX/S




12080-OXXO

9-0  
 9-0  
 8-11 1/2  
 92




3090-S

(CLAD ONLY)



6090-OX


(CLAD ONLY)



12090-OXXO


(CLAD ONLY)

10-0  
 10-0  
 9-11 1/2  
 104




30100-S

(CLAD ONLY)



60100-OX

(CLAD ONLY)



120100-OXXO

(CLAD ONLY)

#### UNIT SIZE INFORMATION

##### FOR CLAD BRICKMOULD

- ▣ ADD 2 13/16" TO FRAME WIDTH
- ▣ ADD 1 13/32" TO FRAME HEIGHT

##### FOR CLAD WILLIAMSBURG

- ▣ ADD 6 1/2" TO FRAME WIDTH
- ▣ ADD 3 1/4" TO FRAME HEIGHT

##### FOR PRIMED WM-180

- ▣ ADD 2" TO FRAME WIDTH
- ▣ ADD 1" TO FRAME HEIGHT

##### FOR PRIMED 3 1/2" FLAT CASING

- ▣ ADD 5 1/32" TO FRAME WIDTH
- ▣ ADD 2 1/2" TO FRAME HEIGHT

##### FOR PRIMED 4 1/2" BACKBAND

- ▣ ADD 7 1/32" TO FRAME WIDTH
- ▣ ADD 3 1/2" TO FRAME HEIGHT

##### FOR PRIMED 5 1/2" FLAT CASING

- ▣ ADD 9 1/32" TO FRAME WIDTH
- ▣ ADD 4 1/2" TO FRAME HEIGHT

##### FOR PRIMED WILLIAMSBURG

- ▣ ADD 5 17/32" TO FRAME WIDTH
- ▣ ADD 2 1/4" TO FRAME HEIGHT

##### FOR PRIMED PLANTATION

- ▣ ADD 5 1/32" TO FRAME WIDTH
- ▣ ADD 5 1/2" TO FRAME HEIGHT

#### NOTE:

ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
 TO CALCULATE MASONRY OPENING

\* OTHER GRILLE PATTERNS AVAILABLE

#### NOTES:

CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING  
 PRIMED MASONRY OPENINGS ARE FOR STANDARD 180 BRICKMOULD

# Pinnacle Series


## PATIO DOOR - FRENCH SLIDER

### ELEVATIONS

SCALE: 1/8" = 1'-0"

Mas. Opg. Primed  
Mas. Opg. Clad  
Rough Opg.  
Frame  
Glass

4-4 3/4	8-1 3/4	12-3 3/4	15-11 5/16
4-2 3/4	7-11 3/4	12-1 3/4	15-9 5/16
4-2 3/4	7-11 3/4	12-1 3/4	15-9 5/16
4-2	7-11	12-1	15-8 9/16
39 1/4	39 1/4	39 1/4	39 1/4



\* OTHER GRILLE PATTERNS AVAILABLE

NOTE:  
ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
TO CALCULATE MASONRY OPENING

<p><b>FOR CLAD BRICKMOULD</b></p> <ul style="list-style-type: none"> <li>ADD 2 13/16" TO FRAME WIDTH</li> <li>ADD 1 13/32" TO FRAME HEIGHT</li> </ul>	<p><b>FOR PRIMED 4 1/2" BACKBAND</b></p> <ul style="list-style-type: none"> <li>ADD 7 1/32" TO FRAME WIDTH</li> <li>ADD 3 1/2" TO FRAME HEIGHT</li> </ul>
<p><b>FOR CLAD WILLIAMSBURG</b></p> <ul style="list-style-type: none"> <li>ADD 6 1/2" TO FRAME WIDTH</li> <li>ADD 3 1/4" TO FRAME HEIGHT</li> </ul>	<p><b>FOR PRIMED 5 1/2" FLAT CASING</b></p> <ul style="list-style-type: none"> <li>ADD 9 1/32" TO FRAME WIDTH</li> <li>ADD 4 1/2" TO FRAME HEIGHT</li> </ul>
<p><b>FOR PRIMED WM-180</b></p> <ul style="list-style-type: none"> <li>ADD 2" TO FRAME WIDTH</li> <li>ADD 1" TO FRAME HEIGHT</li> </ul>	<p><b>FOR PRIMED WILLIAMSBURG</b></p> <ul style="list-style-type: none"> <li>ADD 5 17/32" TO FRAME WIDTH</li> <li>ADD 2 1/4" TO FRAME HEIGHT</li> </ul>
<p><b>FOR PRIMED 3 1/2" FLAT CASING</b></p> <ul style="list-style-type: none"> <li>ADD 5 1/32" TO FRAME WIDTH</li> <li>ADD 2 1/2" TO FRAME HEIGHT</li> </ul>	<p><b>FOR PRIMED PLANTATION</b></p> <ul style="list-style-type: none"> <li>ADD 5 1/32" TO FRAME WIDTH</li> <li>ADD 5 1/2" TO FRAME HEIGHT</li> </ul>

NOTES:  
CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING  
PRIMED MASONRY OPENINGS ARE FOR STANDARD 180 BRICKMOULD

# Pinnacle Series

## PATIO DOOR - DIRECT SET TRANSOMS

### ELEVATIONS

SCALE: 1/8" = 1'-0"

	Mas. Opg. Primed	Mas. Opg. Clad	Rough Opg.	Frame	Glass			
1-2 1/2	2-10 3/4	5-1 3/4	5-1 3/4			2611	5011	5011-2
1-1 1/2	2-8 3/4	4-11 3/4	4-11 3/4					
1-1 1/2	2-8 3/4	4-11 3/4	4-11 3/4					
1-1	2-8	4-11	4-11					2-5 1/2 2-5 1/2
10	29	56	56					26 1/2 26 1/2
1-5 1/2						2614	5014	5014-2
1-4 1/2								
1-4 1/2								
1-4								
13								
2-1 1/2						2620	5020	5020-2
2-0 1/2								
2-0 1/2								
2-0								
21								
1-2 1/2	3-4 3/4	6-1 3/4	6-1 3/4			3011	6011	6011-2
1-1 1/2	3-2 3/4	5-11 3/4	5-11 3/4					
1-1 1/2	3-2 3/4	5-11 3/4	5-11 3/4					
1-1	3-2	5-11	5-11					2-11 1/2 2-11 1/2
10	35	68	68					32 1/2 32 1/2
1-5 1/2						3014	6014	6014-2
1-4 1/2								
1-4 1/2								
1-4								
13								
2-1 1/2						3020	6020	6020-2
2-0 1/2								
2-0 1/2								
2-0								
21								
1-2 1/2	4-4 3/4	8-1 3/4	8-1 3/4			4011	8011	8011-2
1-1 1/2	4-2 3/4	7-11 3/4	7-11 3/4					
1-1 1/2	4-2 3/4	7-11 3/4	7-11 3/4					
1-1	4-2	7-11	7-11					3-11 1/2 3-11 1/2
10	47	92	92					44 1/2 44 1/2
1-5 1/2						4014	8014	8014-2
1-4 1/2								
1-4 1/2								
1-4								
13								
2-1 1/2						4020	8020	8020-2
2-0 1/2								
2-0 1/2								
2-0								
21								

### UNIT SIZE INFORMATION

#### FOR CLAD BRICKMOULD

- ▣ ADD 2 13/16" TO FRAME WIDTH
- ▣ ADD 1 13/32" TO FRAME HEIGHT

#### FOR CLAD WILLIAMSBURG

- ▣ ADD 6 1/2" TO FRAME WIDTH
- ▣ ADD 3 1/4" TO FRAME HEIGHT

#### FOR PRIMED WM-180

- ▣ ADD 2" TO FRAME WIDTH
- ▣ ADD 1" TO FRAME HEIGHT

#### FOR PRIMED 3 1/2" FLAT CASING

- ▣ ADD 5 1/32" TO FRAME WIDTH
- ▣ ADD 2 1/2" TO FRAME HEIGHT

#### FOR PRIMED 4 1/2" BACKBAND

- ▣ ADD 7 1/32" TO FRAME WIDTH
- ▣ ADD 3 1/2" TO FRAME HEIGHT

#### FOR PRIMED 5 1/2" FLAT CASING

- ▣ ADD 9 1/32" TO FRAME WIDTH
- ▣ ADD 4 1/2" TO FRAME HEIGHT

#### FOR PRIMED WILLIAMSBURG

- ▣ ADD 5 17/32" TO FRAME WIDTH
- ▣ ADD 2 1/4" TO FRAME HEIGHT

#### FOR PRIMED PLANTATION

- ▣ ADD 5 1/32" TO FRAME WIDTH
- ▣ ADD 5 1/2" TO FRAME HEIGHT

#### NOTE:

ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
TO CALCULATE MASONRY OPENING

#### NOTES:

CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING  
PRIMED MASONRY OPENINGS ARE FOR STANDARD 180 BRICKMOULD  
MULLS ABOVE STATIONARY UNITS ONLY