


Pinnacle Select Series


CLAD PUSH-OUT AWNING

SECTION DETAILS : OPERATING
SCALE: 3" = 1'-0"

PUSH-OUT




HEAD JAMB & SILL




JAMBS

PUSH-OUT WITH RETRACTABLE SCREEN



HEAD JAMB & SILL




JAMBS

Pinnacle Select Series

CLAD PUSHOUT AWNING


SECTION DETAILS : 1 1/4" TRIPLE IG OPERATING

SCALE: 3" = 1'-0"




HEAD JAMB & SILL

PUSHOUT




JAMBS

PUSH-OUT WITH RETRACTABLE SCREEN



HEAD JAMB & SILL



JAMBS


Pinnacle Select Series

CLAD AWNING


SECTION DETAILS : OPERATING

SCALE: 3" = 1'-0"

OPERATING




HEAD JAMB & SILL




JAMBS

OPERATING WITH RETRACTABLE SCREEN



HEAD JAMB & SILL




JAMBS

Pinnacle Select Series

CLAD AWNING


SECTION DETAILS : 1 1/4" TRIPLE IG OPERATING

SCALE: 3" = 1'-0"




HEAD JAMB & SILL

OPERATING




JAMBS

OPERATING WITH RETRACTABLE SCREEN



HEAD JAMB & SILL



JAMBS



Pinnacle Select Series

CLAD PUSH-OUT AWNING

SECTION DETAILS : STATIONARY / TRANSOM

SCALE: 3" = 1'-0"

STATIONARY / TRANSOM




Pinnacle Select Series

CLAD PUSH-OUT AWNING


SECTION DETAILS : 1 1/4" TRIPLE IG STATIONARY / TRANSOM

SCALE: 3" = 1'-0"



HEAD JAMB & SILL

STATIONARY / TRANSOM



JAMBS



Pinnacle Select Series

CLAD AWNING

SECTION DETAILS : STATIONARY

SCALE: 3" = 1'-0"

STATIONARY




Pinnacle Select Series

CLAD AWNING


SECTION DETAILS : 1 1/4" TRIPLE IG STATIONARY

SCALE: 3" = 1'-0"



HEAD JAMB & SILL

STATIONARY




JAMBS

Pinnacle Select Series


CLAD PUSH-OUT AWNING

SECTION DETAILS : CASING OPTIONS


SCALE: 3" = 1'-0"



HEAD JAMB & SILL WITH
CLAD BRICKMOULD CASING



HEAD JAMB & SILL WITH
CLAD WILLIAMSBURG CASING




CLAD BRICKMOULD CASING
WITH OPTIONAL J-CHANNEL COVER

Pinnacle Select Series


CLAD AWNING

SECTION DETAILS : CASING OPTIONS


SCALE: 3" = 1'-0"



HEAD JAMB & SILL WITH
CLAD BRICKMOULD CASING



HEAD JAMB & SILL WITH
CLAD WILLIAMSBURG CASING




CLAD BRICKMOULD CASING
WITH OPTIONAL J-CHANNEL COVER

Pinnacle Select Series


CLAD PUSH-OUT CASEMENT

SECTION DETAILS : MULLIONS


SCALE: 3" = 1'-0"




HORIZONTAL MULLION
TRANSOM/OPERATOR




FRAME EXPANDER
OPTIONS



VERTICAL MULLION
OPERATOR/OPERATOR



VERTICAL MULLION
OPERATOR/STATIONARY



VERTICAL MULLION WITH
2" SPREAD MULL
ADDITIONAL WIDTHS INCLUDE: 2 1/2", 4" & 6"


NOTE:
FOR INFORMATION ON STRUCTURAL MULLIONS REFER TO
THE PRODUCT PERFORMANCE AND INFORMATION SECTION.

Pinnacle Select Series


CLAD AWNING

SECTION DETAILS : MULLIONS


SCALE: 3" = 1'-0"




HORIZONTAL MULLION
TRANSOM/OPERATOR




VERTICAL MULLION
OPERATOR/OPERATOR



VERTICAL MULLION
OPERATOR/STATIONARY



FRAME EXPANDER
OPTIONS



VERTICAL MULLION WITH
2" SPREAD MULL
ADDITIONAL WIDTHS INCLUDE: 2 1/2", 4" & 6"

NOTE:
FOR INFORMATION ON STRUCTURAL MULLIONS REFER TO
THE PRODUCT PERFORMANCE AND INFORMATION SECTION.

Pinnacle Select Series




CLAD PUSH-OUT AWNING

SECTION DETAILS : GLASS STOP & DIVIDED LITE OPTIONS

SCALE: 3" = 1'-0"

AVAILABLE STYLES

-  - PUTTY
-  - TALL PUTTY
-  - OGEE
-  - CONTEMPORARY



NOTE:

* ALL WDL OPTIONS CAN BE ORDERED WITH OR WITHOUT INNER BAR

* PERIMETER GRILLES ONLY AVAILABLE IN THE 7/8" AND 1 1/4" OGEE STYLE GLASS STOP (SEE DETAIL: A)

Pinnacle Select Series



CLAD AWNING



















SECTION DETAILS : GLASS STOP & DIVIDED LITE OPTIONS

SCALE: 3" = 1'-0"

AVAILABLE STYLES

-  - PUTTY
-  - TALL PUTTY
-  - OGEE
-  - CONTEMPORARY



	5/8" WDL WITH INNER BAR	7/8" WDL WITH INNERBAR	1 1/4" WDL WITH INNERBAR	2" WDL WITH INNERBAR
STANDARD INSULATING GLASS				
13/16" INNERGRILLE				
3/4" PROFILED INNERGRILLE				
1" PROFILED INNERGRILLE				
7/8" STICK & PERIMETER GRILLE				
1 1/4" STICK & PERIMETER GRILLE				
				
				
				

NOTE:

* ALL WDL OPTIONS CAN BE ORDERED WITH OR WITHOUT INNER BAR

* PERIMETER GRILLES ONLY AVAILABLE IN THE 7/8" AND 1 1/4" OGEE STYLE GLASS STOP (SEE DETAIL: A)


1/29/15

Pinnacle Select Series


CLAD PUSH-OUT AWNING

SECTION DETAILS : CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL
2 X 6 FRAME WITH SIDING



JAMBS
2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL
2 X 4 FRAME WITH STUCCO



JAMBS
2 X 4 FRAME WITH STUCCO


NOTE:
THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.

Pinnacle Select Series


CLAD AWNING

SECTION DETAILS : CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL
2 X 6 FRAME WITH SIDING



JAMBS
2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL
2 X 4 FRAME WITH STUCCO



JAMBS
2 X 4 FRAME WITH STUCCO


NOTE :
THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.

Pinnacle Select Series


CLAD AWNING

SECTION DETAILS : CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL
2 X 6 FRAME WITH SIDING



JAMBS
2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL
2 X 4 FRAME WITH STUCCO



JAMBS
2 X 4 FRAME WITH STUCCO


NOTE :
THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.

Pinnacle Select Series


CLAD PUSH-OUT AWNING

SECTION DETAILS : CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL
2 X 4 FRAME WITH BRICK VENEER



JAMBS
2 X 4 FRAME WITH BRICK VENEER



HEAD JAMB & SILL
8" CONCRETE BLOCK WALL
WITH BRICK VENEER




JAMBS
8" CONCRETE BLOCK WALL
WITH BRICK VENEER

Pinnacle Select Series


CLAD AWNING

SECTION DETAILS : CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL
2 X 4 FRAME WITH BRICK VENEER



JAMBS
2 X 4 FRAME WITH BRICK VENEER



HEAD JAMB & SILL
8" CONCRETE BLOCK WALL
WITH BRICK VENEER



JAMBS
8" CONCRETE BLOCK WALL
WITH BRICK VENEER