



Pinnacle Series

PRIMED DIRECT SET


SECTION DETAILS: DIRECT GLAZE
SCALE: 3" = 1'-0"



HEAD JAMB & SILL



TRANSOM
HEAD JAMB & SILL



JAMBS

NOTES:


1. FOR RECTANGULAR UNITS, THE RELATIONSHIP BETWEEN GLASS SIZE, FRAME DIMENSION, ROUGH OPENING AND UNIT DIMENSION IS AS SHOWN ABOVE.
2. FOR TRAPEZOID & PENTIOD UNIT, THE RELATIONSHIP BETWEEN GLASS SIZE WIDTH, FRAME DIMENSION WIDTH, ROUGH OPENING WIDTH AND UNIT DIMENSION WIDTH IS AS SHOWN ABOVE.
3. ALL OTHER DIMENSIONAL RELATIONSHIPS, INCLUDING HEIGHTS OF TRAPEZOIDS AND PENTIODS, AND WIDTHS AND HEIGHTS OF TRIANGLES, AND OCTAGONS DEPEND UPON THE INCLUSIVE ANGLES, AND MUST BE CALCULATED SEPARATELY FOR EACH UNIT.

Pinnacle Series


PRIMED DIRECT SET

SECTION DETAILS : CASING OPTIONS


SCALE: 3" = 1'-0"




HEAD JAMB WITH
STANDARD 180 BRICKMOULD




HEAD JAMB WITH
3 1/2" FLAT CASING




HEAD JAMB WITH
4 1/2" BACKBAND




HEAD JAMB WITH
5 1/2" FLAT CASING




HEAD JAMB WITH
WILLIAMSBURG BRICKMOULD



HEAD JAMB WITH
3 1/2" FLAT CASING WITH J-CHANNEL



SILL WITH STANDARD SUBSILL




SILL WITH 2" SUBSILL

Pinnacle Series


PRIMED DIRECT SET

SECTION DETAILS : MULLIONS


SCALE: 3" = 1'-0"



HORIZONTAL MULLION
DIRECT SET/DIRECT SET



VERTICAL MULLION
DIRECT SET/DIRECT SET



VERTICAL MULLION WITH
2" SPREAD MULLION
DIRECT SET/DIRECT SET


Pinnacle Series

PRIMED DIRECT SET



SECTION DETAILS : GLASS STOP & DIVIDED LITE OPTIONS

SCALE: 3" = 1'-0"


OGEE
GLASS STOP




CONTEMPORARY
GLASS STOP




INSULATING GLASS




7/8" WDL
WITH INNERBAR




7/8" WDL
WITHOUT INNERBAR




1 1/4" WDL
WITH INNERBAR




1 1/4" WDL
WITHOUT INNER BAR




7/8" STICK GRILLE




1 1/4" STICK GRILLE




13/16" INNERGRILLE




3/4" PROFILED INNERGRILLE




1" PROFILED INNERGRILLE




5/8" PUTTY (TALL) WDL
WITH INNER BAR




7/8" PUTTY (TALL) WDL
WITH INNER BAR




OPTIONAL 2" SIMULATED CHECK RAIL
WITH INNERBAR



OPTIONAL 2" SIMULATED CHECK RAIL
WITHOUT INNERBAR



5/8" PUTTY (SHORT) WDL
WITH INNER BAR




7/8" PUTTY (SHORT) WDL
WITH INNER BAR


Pinnacle Series

PRIMED DIRECT SET


SECTION DETAILS : CONSTRUCTION
SCALE: 2" = 1'-0"




HEAD JAMB & SILL
2 X 6 FRAME WITH SIDING



JAMBS
2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL
2 X 4 FRAME WITH STUCCO




JAMBS
2 X 4 FRAME WITH STUCCO

NOTE :
THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATION INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.


Pinnacle Series

PRIMED DIRECT SET


SECTION DETAILS : CONSTRUCTION
SCALE: 2" = 1'-0"




HEAD JAMB & SILL
2 X 4 FRAME WITH BRICK VENEER



JAMBS
2 X 4 FRAME WITH BRICK VENEER



HEAD JAMB & SILL
8" CONCRETE BLOCK WALL
WITH BRICK VENEER



JAMBS
8" CONCRETE BLOCK WALL
WITH BRICK VENEER

NOTE :
THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.