

LEGEND HBR AWNING


SECTION DETAILS : OPERATING / STATIONARY SCALE: 3" = 1'-0"






LEGEND HBR AWNING

SECTION DETAILS : OPERATING / STATIONARY WITH CONTEMPORARY STOPS SCALE: 3" = 1'-0"






Legend HBR Series LEGEND HBR AWNING

STANDARD SUBSILL

ELEVATIONS: CASING OPTIONS

SCALE: 3" = 1'-0"




2" SUBSILL


LEGEND HBR AWNING

SECTION DETAILS: MULLIONS


SCALE: 3" = 1'-0"



HORIZONTAL MULLION STATIONARY/OPERATOR



VERTICAL MULLION OPERATOR/PICTURE




VERTICAL MULLION
OPERATOR WITH 2" SPREAD MULL

LEGEND HBR AWNING

SECTION DETAILS: GLASS STOP & DIVIDED LITE OPTIONS

SCALE: 3" = 1'-0"




 $[\]frac{\text{NOTE}}{\text{* ALL WDL OPTIONS CAN BE ORDERED WITH OR WITHOUT INNER BAR}}$


^{*} PERIMETER GRILLES ONLY AVAILABLE IN THE 7/8" AND 1 1/4" OGEE STYLE GLASS STOP (SEE DETAIL: A)


LEGEND HBR AWNING


SECTION DETAILS: CONSTRUCTION

SCALE: 2" = 1'-0"









2 X 4 FRAME WITH STUCCO


NOTE

THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.


LEGEND HBR AWNING

SECTION DETAILS: CONSTRUCTION


SCALE: 2" = 1'-0"




2 X 4 FRAME WITH BRICK VENEER HEAD



8" CONCRETEBLOCK WALL WITH BRICK VENEER



2 X 4 FRAME WITH BRICK VENEER



8" CONCRETE BLOCK WALL WITH BRICK VENEER

NOTE:

THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.