
# Pinnacle Series


CLAD DOUBLE HUNG


SECTION DETAILS : OPERATING / PICTURE SCALE: 3" = 1'-0"



HEAD JAMB & SILL

SECTION DETAILS : TRANSOM SCALE: 3" = 1'-0"







HEAD JAMB & SILL


JAMBS

SECTION DETAILS : CASING OPTIONS SCALE: 3" = 1'-0"





HEAD JAMB WITH CLAD BRICKMOULD CASING






HEAD JAMB WITH CLAD WILLIAMSBURG CASING HEAD JAMB WITH 3 1/2" CLAD FLAT CASING







SILL WITH 3/8" CLAD SUBSILL


SILL WITH 1 1/4" CLAD SUBSILL


SILL WITH 2 1/4" CLAD SUBSILL




CLAD BRICKMOULD CASING WITH OPTIONAL J-CHANNEL COVER

SECTION DETAILS : MULLIONS SCALE: 3" = 1'-0"






VERTICAL MULLION OPERATOR/PICTURE




VERTICAL MULLION WITH 2" SPREAD MULL ADDITIONAL WIDTHS INCLUDE: 1", 2", 2 1/2", 3", & 4"




NOTE : FOR INFORMATION ON STRUCTURAL MULLIONS REFER TO THE PRODUCT PERFORMANCE AND INFORMATION SECTION.

SECTION DETAILS : DIVIDED LITE OPTIONS SCALE: 3" = 1'-0"




NOTE: \* ALL WDL OPTIONS CAN BE ORDERED WITH OR WITHOUT INNER BAR \* PERIMETER GRILLES ONLY AVAILABLE IN THE 7/8" AND 1 1/4" OGEE STYLE GLASS STOP (SEE DETAIL: A)


SECTION DETAILS : CONSTRUCTION SCALE: 2" = 1'-0"




HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING




2 X 4 FRAME WITH STUCCO





JAMBS 2 X 4 FRAME WITH STUCCO

NOTE : THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.


SECTION DETAILS : CONSTRUCTION SCALE: 2" = 1'-0"







JAMBS 2 X 4 FRAME WITH BRICK VENEER



SECTION DETAILS : 30/45 DEGREES BAY SCALE: 2" = 1'-0"

