


Pinnacle Series


CLAD CASEMENT

SECTION DETAILS : OPERATING / STATIONARY
SCALE: 3" = 1'-0"

OPERATING




HEAD JAMB & SILL




JAMBS

STATIONARY



HEAD JAMB & SILL




JAMBS

Pinnacle Series


CLAD CASEMENT

SECTION DETAILS : PICTURE
SCALE: 3" = 1'-0"

PICTURE



HEAD JAMB & SILL




JAMBS

Pinnacle Series


CLAD CASEMENT

SECTION DETAILS : CASING OPTIONS


SCALE: 3" = 1'-0"



HEAD JAMB & SILL WITH
CLAD BRICKMOULD CASING



HEAD JAMB & SILL WITH
CLAD WILLIAMSBURG CASING




CLAD BRICKMOULD CASING
WITH OPTIONAL J-CHANNEL COVER

Pinnacle Series


CLAD CASEMENT

SECTION DETAILS : MULLIONS


SCALE: 3" = 1'-0"




HORIZONTAL MULLION
STATIONARY/OPERATOR




VERTICAL MULLION
OPERATOR/PICTURE



VERTICAL MULLION
OPERATOR/OPERATOR



VERTICAL MULLION WITH
2" SPREAD MULL
ADDITIONAL WIDTHS INCLUDE:
2 1/2", 4" & 6"



NOTE :
FOR INFORMATION ON STRUCTURAL MULLIONS REFER TO
THE PRODUCT PERFORMANCE AND INFORMATION SECTION.


Pinnacle Series



CLAD CASEMENT




















SECTION DETAILS : GLASS STOP & DIVIDED LITE OPTIONS

SCALE: 3" = 1'-0"

AVAILABLE STYLES

-  - PUTTY
-  - TALL PUTTY
-  - OGEE
-  - CONTEMPORARY



	5/8" WDL WITH INNER BAR	7/8" WDL WITH INNERBAR	1 1/4" WDL WITH INNERBAR	2" WDL WITH INNERBAR
STANDARD INSULATING GLASS				
13/16" INNERGRILLE				
3/4" PROFILED INNERGRILLE				
1" PROFILED INNERGRILLE				
7/8" STICK & PERIMETER GRILLE				
1 1/4" STICK & PERIMETER GRILLE				
				
				
				

NOTE:

* ALL WDL OPTIONS CAN BE ORDERED WITH OR WITHOUT INNER BAR


* PERIMETER GRILLES ONLY AVAILABLE IN THE 7/8" AND 1 1/4" OGEE STYLE GLASS STOP (SEE DETAIL: A)

Pinnacle Series


CLAD CASEMENT

SECTION DETAILS : CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL
2 X 6 FRAME WITH SIDING



JAMBS
2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL
2 X 4 FRAME WITH STUCCO



JAMBS
2 X 4 FRAME WITH STUCCO


NOTE :
THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.

Pinnacle Series


CLAD CASEMENT

SECTION DETAILS : CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL
2 X 4 FRAME WITH BRICK VENEER



JAMBS
2 X 4 FRAME WITH BRICK VENEER



HEAD JAMB & SILL
8" CONCRETE BLOCK WALL
WITH BRICK VENEER



JAMBS
8" CONCRETE BLOCK WALL
WITH BRICK VENEER

Pinnacle Series

CLAD CASEMENT

SECTION DETAILS : 30/45 DEGREES BAY

SCALE: 2" = 1'-0"

