



# Pinnacle Series



## PRIMED CASEMENT

SECTION DETAILS : OPERATING / STATIONARY  
SCALE: 3" = 1'-0"

### OPERATING



### STATIONARY




# Pinnacle Series

## PRIMED CASEMENT


SECTION DETAILS : PICTURE

SCALE: 3" = 1'-0"

PICTURE



HEAD JAMB & SILL




JAMBS

# Pinnacle Series


## PRIMED CASEMENT

SECTION DETAILS : CASING OPTIONS


SCALE: 3" = 1'-0"




HEAD JAMB WITH  
STANDARD 180 BRICKMOULD




HEAD JAMB WITH  
3 1/2" FLAT CASING




HEAD JAMB WITH  
4 1/2" BACKBAND




HEAD JAMB WITH  
5 1/2" FLAT CASING




HEAD JAMB WITH  
WILLIAMSBURG BRICKMOULD




HEAD JAMB WITH  
3 1/2" FLAT CASING WITH J-CHANNEL



HEAD JAMB WITH  
180 FLANGED BRICKMOULD



SILL WITH STANDARD SUBSILL




SILL WITH 2" SUBSILL

# Pinnacle Series


## PRIMED CASEMENT

SECTION DETAILS : MULLIONS


SCALE: 3" = 1'-0"




HORIZONTAL MULLION  
STATIONARY/OPERATOR



VERTICAL MULLION  
OPERATOR/PICTURE



VERTICAL MULLION  
OPERATOR/OPERATOR



VERTICAL MULLION WITH  
2" SPREAD MULL  
OPERATOR/OPERATOR

# Pinnacle Series




## PRIMED CASEMENT

SECTION DETAILS : GLASS STOP & DIVIDED LITE OPTIONS

SCALE: 3" = 1'-0"

### AVAILABLE STYLES

-  - PUTTY
-  - TALL PUTTY
-  - OGEE
-  - CONTEMPORARY



### NOTE:

\* ALL WDL OPTIONS CAN BE ORDERED WITH OR WITHOUT INNER BAR


\* PERIMETER GRILLES ONLY AVAILABLE IN THE 7/8" AND 1 1/4" OGEE STYLE GLASS STOP (SEE DETAIL: A)

# Pinnacle Series


## PRIMED CASEMENT

SECTION DETAILS : CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL  
2 X 6 FRAME WITH SIDING



JAMBS  
2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL  
2 X 4 FRAME WITH STUCCO



JAMBS  
2 X 4 FRAME WITH STUCCO

**NOTE :**


THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.

# Pinnacle Series


## PRIMED CASEMENT

SECTION DETAILS : CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL  
2 X 4 FRAME WITH BRICK VENEER



JAMBS  
2 X 4 FRAME WITH BRICK VENEER



HEAD JAMB & SILL  
8" CONCRETE BLOCK WALL  
WITH BRICK VENEER



JAMBS  
8" CONCRETE BLOCK WALL  
WITH BRICK VENEER


NOTE :  
THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.

# Pinnacle Series


## PRIMED CASEMENT

SECTION DETAILS : 30/45 DEGREES BAY

SCALE: 2" = 1'-0"



30 DEGREE BAY



45 DEGREE BAY