


SECTION DETAILS: DIRECT GLAZE



HEAD JAMB & SILL



TRANSOM HEAD JAMB & SILL



NOTES

- 1. FOR RECTANGULAR UNITS, THE RELATIONSHIP BETWEEN GLASS SIZE, FRAME DIMENSION, ROUGH OPENING AND UNIT DIMENSION IS AS SHOWN ABOVE.
- 2. FOR TRAPEZOID & PENTIOD UNIT, THE RELATIONSHIP BETWEEN GLASS SIZE WIDTH, FRAME DIMENSION WIDTH, ROUGH OPENING WIDTH AND UNIT DIMENSION WIDTH IS AS SHOWN ABOVE.
- 3. ALL OTHER DIMENSIONAL RELATIONSHIPS, INCLUDING HEIGHTS OF TRAPEZOIDS AND PENTOIDS, AND WIDTHS AND HEIGHTS OF TRIANGLES, AND OCTAGONS DEPEND UPON THE INCLUSIVE ANGLES, AND MUST BE CALCULATED SEPARATELY FOR EACH UNIT.

SECTION DETAILS: DIRECT GLAZE WITH CONTEMPORARY STOPS

SCALE: 3" = 1'-0"

5 13/16"

1 1/4"


1 15/16"

DAYLIGHT FRAME OPENING SIZE


2 7/16"

1 15/16"






HEAD JAMB & SILL




NOTES

- 1. FOR RECTANGULAR UNITS, THE RELATIONSHIP BETWEEN GLASS SIZE, FRAME DIMENSION, ROUGH OPENING AND UNIT DIMENSION IS AS SHOWN ABOVE.
- 2. FOR TRAPEZOID & PENTIOD UNIT, THE RELATIONSHIP BETWEEN GLASS SIZE WIDTH, FRAME DIMENSION WIDTH, ROUGH OPENING WIDTH AND UNIT DIMENSION WIDTH IS AS SHOWN ABOVE.
- 3. ALL OTHER DIMENSIONAL RELATIONSHIPS, INCLUDING HEIGHTS OF TRAPEZOIDS AND PENTOIDS, AND WIDTHS AND HEIGHTS OF TRIANGLES, AND OCTAGONS DEPEND UPON THE INCLUSIVE ANGLES, AND MUST BE CALCULATED SEPARATELY FOR EACH UNIT.


SECTION DETAILS : CASING OPTIONS SCALE: 3" = 1'-0"




HEAD JAMB WITH STANDARD 180 BRICKMOULD




HEAD JAMB WITH 3 1/2" FLAT CASING




HEAD JAMB WITH 4 1/2" BACKBAND




HEAD JAMB WITH 5 1/2" FLAT CASING




HEAD JAMB WITH WILLIAMSBURG BRICKMOULD



HEAD JAMB WITH 180 FLANGED BRICKMOULD




SILL WITH STANDARD SUBSILL





SILL WITH 2" SUBSILL

SECTION DETAILS: MULLIONS

SCALE: 3" = 1'-0"








SECTION DETAILS: GLASS STOP & DIVIDED LITE OPTIONS SCALE: 3" = 1'-0"

AVAILABLE STYLES NNER BAR - PUTTY _ - TALL PUTTY ____ - OGEE - CONTEMPORARY SEE BELOW FOR GRILLE OPTIONS 5/8" WDL WITH 7/8" WDL WITH 1 1/4" WDL WITH 2" WDL WITH INNERBAR **INNER BAR INNERBAR INNERBAR** STANDARD **INSULATING GLASS** 13/16" INNERGRILLE 3/4" PROFILED **INNERGRILLE** 1" PROFILED **INNERGRILLE** 7/8" STICK GRILLE 1 1/4" STICK GRILLE


 $[\]frac{\text{NOTE}:}{^{*}\text{ALL WDL OPTIONS CAN BE ORDERED WITH OR WITHOUT INNER BAR}}$

SECTION DETAILS: CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING



JAMBS 2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL 2 X 4 FRAME WITH STUCCO




JAMBS 2 X 4 FRAME WITH STUCCO

NOTE:


THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.

SECTION DETAILS : CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL 2 X 4 FRAME WITH BRICK VENEER



JAMBS
2 X 4 FRAME WITH BRICK VENEER



HEAD JAMB & SILL 8" CONCRETE BLOCK WALL WITH BRICK VENEER



8" CONCRETE BLOCK WALL WITH BRICK VENEER

NOTE:

THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.