
Pinnacle Series

PRIMED AWNING


SECTION DETAILS : OPERATING / STATIONARY

SCALE: 3" = 1'-0"

OPERATING




HEAD JAMB & SILL




JAMBS

STATIONARY



HEAD JAMB & SILL




JAMBS

Pinnacle Series


PRIMED AWNING

SECTION DETAILS : OPERATING / STATIONARY WITH CONTEMPORARY STOPS
SCALE: 3" = 1'-0"

OPERATING




HEAD JAMB & SILL




JAMBS

STATIONARY



HEAD JAMB & SILL




JAMBS


Pinnacle Series

PRIMED AWNING


SECTION DETAILS : CASING OPTIONS
SCALE: 3" = 1'-0"




HEAD JAMB WITH
STANDARD 180 BRICKMOULD




HEAD JAMB WITH
3 1/2" FLAT CASING




HEAD JAMB WITH
4 1/2" BACKBAND




HEAD JAMB WITH
5 1/2" FLAT CASING




HEAD JAMB WITH
WILLIAMSBURG BRICKMOULD



HEAD JAMB WITH
180 FLANGED BRICKMOULD



HEAD JAMB WITH
STANDARD SUBSILL




SILL WITH 2" SUBSILL


Pinnacle Series

PRIMED AWNING


SECTION DETAILS : MULLIONS
SCALE: 3" = 1'-0"




HORIZONTAL MULLION
STATIONARY/OPERATOR



VERTICAL MULLION
OPERATOR/PICTURE



VERTICAL MULLION
OPERATOR/OPERATOR



VERTICAL MULLION WITH
2" SPREAD MULL
OPERATOR/OPERATOR


Pinnacle Series


PRIMED AWNING


SECTION DETAILS : GLASS STOP & DIVIDED LITE OPTIONS
SCALE: 3" = 1'-0"

AVAILABLE STYLES

- PUTTY
- TALL PUTTY
- OGEE
- CONTEMPORARY







NOTE:
* ALL WDL OPTIONS CAN BE ORDERED WITH OR WITHOUT INNER BAR
* PERIMETER GRILLES ONLY AVAILABLE IN THE 7/8" AND 1 1/4" OGEE STYLE GLASS STOP (SEE DETAIL: A)


12/20/16

Pinnacle Series


PRIMED AWNING

SECTION DETAILS : CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL
2 X 6 FRAME WITH SIDING



JAMBS
2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL
2 X 4 FRAME WITH STUCCO



JAMBS
2 X 4 FRAME WITH STUCCO


NOTE :
THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.

Pinnacle Series


PRIMED AWNING

SECTION DETAILS : CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL
2 X 4 FRAME WITH BRICK VENEER



JAMBS
2 X 4 FRAME WITH BRICK VENEER



HEAD JAMB & SILL
8" CONCRETE BLOCK WALL
WITH BRICK VENEER



JAMBS
8" CONCRETE BLOCK WALL
WITH BRICK VENEER

NOTE :
THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.