

# Pinnacle Impact Series

## CLAD DOUBLE HUNG - 16" WIDE

### ELEVATIONS

SCALE: 1/8" = 1'-0"

Masonry Oppg.	1-10 1/8	3-7 1/2	5-4 7/8
Rough Oppg.	1-10 1/8	3-7 1/2	5-4 7/8
Frame	1-9 3/8	3-6 3/4	5-4 1/8
Glass	16	16	16
3-1 1/4			
3-1 1/4	1614	1614-2	1614-3
3-5 1/4			
3-5 1/4	1616	1616-2	1616-3
4-1 1/4			
4-1 1/4	1620	1620-2	1620-3
4-5 1/4			
4-5 1/4	1622	1622-2	1622-3
4-9 1/4			
4-9 1/4	1624	1624-2	1624-3
5-1 1/4			
5-1 1/4	1626	1626-2	1626-3
5-5 1/4			
5-5 1/4	1628	1628-2	1628-3
5-9 1/4			
5-9 1/4	1630	1630-2	1630-3
6-1 1/4			
6-1 1/4	1632	1632-2	1632-3
6-5 1/4			
6-5 1/4	1634	1634-2	1634-3

### OTHER GRILLE PATTERNS



PRAIRIE

PLAZA

DIAMOND

### UNIT SIZE INFORMATION

- FOR CLAD BRICKMOULD**
- ▣ ADD 2 13/16" TO FRAME WIDTH
  - ▣ ADD 1 3/4" TO FRAME HEIGHT\*
- FOR CLAD WILLIAMSBURG**
- ▣ ADD 6 1/2" TO FRAME WIDTH
  - ▣ ADD 3 5/8" TO FRAME HEIGHT\*

NOTE:  
ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
TO CALCULATE MASONRY OPENING

# Pinnacle Impact Series

## CLAD DOUBLE HUNG - 20" WIDE

### ELEVATIONS

SCALE: 1/8" = 1'-0"

Masonry Opng.	2-2 1/8	4-3 1/2	6-4 7/8
Rough Opng.	2-2 1/8	4-3 1/2	6-4 7/8
Frame	2-1 3/8	4-2 3/4	6-4 1/8
Glass	20	20	20
3-1 1/4			
3-1 1/4	2014	2014-2	2014-3
3-5 1/4			
3-5 1/4	2016	2016-2	2016-3
4-1 1/4			
4-1 1/4	2020	2020-2	2020-3
4-5 1/4			
4-5 1/4	2022	2022-2	2022-3
4-9 1/4			
4-9 1/4	2024	2024-2	2024-3
5-1 1/4			
5-1 1/4	2026	2026-2	2026-3
5-5 1/4			
5-5 1/4	2028	2028-2	2028-3
5-9 1/4			
5-9 1/4	2030	2030-2	2030-3
6-1 1/4			
6-1 1/4	2032	2032-2	2032-3
6-5 1/4			
6-5 1/4	2034	2034-2	2034-3

### OTHER GRILLE PATTERNS



PRAIRIE

PLAZA

DIAMOND

### UNIT SIZE INFORMATION

#### FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT\*

#### FOR CLAD WILLIAMSBURG

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT\*

#### NOTE:

ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT TO CALCULATE MASONRY OPENING

# Pinnacle Impact Series

## CLAD DOUBLE HUNG - 24" WIDE

### ELEVATIONS

SCALE: 1/8" = 1'-0"

Masonry Oppg.	2-6 1/8	4-11 1/2	7-4 7/8
Rough Oppg.	2-6 1/8	4-11 1/2	7-4 7/8
Frame	2-5 3/8	4-10 3/4	7-4 1/8
Glass	24	24	24
3-1 1/4			
3-1 1/4	2414	2414-2	2414-3
3-5 1/4			
3-5 1/4	2416	2416-2	2416-3
4-1 1/4			
4-1 1/4	2420	2420-2	2420-3
4-5 1/4			
4-5 1/4	2422	2422-2	2422-3
4-9 1/4			
4-9 1/4	2424	2424-2	2424-3
5-1 1/4			
5-1 1/4	2426	2426-2	2426-3
5-5 1/4			
5-5 1/4	2428	2428-2	2428-3
5-9 1/4			
5-9 1/4	2430	2430-2	2430-3
6-1 1/4			
6-1 1/4	2432	2432-2	2432-3
6-5 1/4			
6-5 1/4	2434	2434-2	2434-3

### OTHER GRILLE PATTERNS



PRAIRIE

PLAZA

DIAMOND

### UNIT SIZE INFORMATION

- FOR CLAD BRICKMOULD**
- ADD 2 13/16" TO FRAME WIDTH
  - ADD 1 3/4" TO FRAME HEIGHT\*
- FOR CLAD WILLIAMSBURG**
- ADD 6 1/2" TO FRAME WIDTH
  - ADD 3 5/8" TO FRAME HEIGHT\*

NOTE:  
ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
TO CALCULATE MASONRY OPENING

NOTES:  
MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.  
SHADED SIZES MEET MOST EGRESS REQUIREMENTS VERIFY LOCAL CODES.

# Pinnacle Impact Series

## CLAD DOUBLE HUNG - 28" WIDE

### ELEVATIONS

SCALE: 1/8" = 1'-0"

	Masonry Opp. Rough Opp. Frame Glass	2-10 1/8 2-10 1/8 2-9 3/8 28	5-7 1/2 5-7 1/2 5-6 3/4 28	8-4 7/8 8-4 7/8 8-4 1/8 28
3-1 1/4	3-1 1/4			
3-5 1/4	3-5 1/4			
4-1 1/4	4-1 1/4			
4-5 1/4	4-5 1/4			
4-9 1/4	4-9 1/4			
5-1 1/4	5-1 1/4			
5-5 1/4	5-5 1/4			
5-9 1/4	5-9 1/4			
6-1 1/4	6-1 1/4			
6-5 1/4	6-5 1/4			

### OTHER GRILLE PATTERNS



### UNIT SIZE INFORMATION

- FOR CLAD BRICKMOULD**
- ADD 2 13/16" TO FRAME WIDTH
  - ADD 1 3/4" TO FRAME HEIGHT\*
- FOR CLAD WILLIAMSBURG**
- ADD 6 1/2" TO FRAME WIDTH
  - ADD 3 5/8" TO FRAME HEIGHT\*

NOTE:  
ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
TO CALCULATE MASONRY OPENING

NOTES:  
MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.  
SHADED SIZES MEET MOST EGRESS REQUIREMENTS VERIFY LOCAL CODES.

# Pinnacle Impact Series

## CLAD DOUBLE HUNG - 30" WIDE

### ELEVATIONS

SCALE: 1/8" = 1'-0"

Masonry Oppg.	Rough Oppg.	Frame	Glass	30	30	30
3-1 1/4	3-1 1/4	3-0 3/4	14-14			
				3014	3014-2	3014-3
3-5 1/4	3-5 1/4	3-4 3/4	16-16			
				3016	3016-2	3016-3
4-1 1/4	4-1 1/4	4-0 3/4	20-20			
				3020	3020-2	3020-3
4-5 1/4	4-5 1/4	4-4 3/4	22-22			
				3022	3022-2	3022-3
4-9 1/4	4-9 1/4	4-8 3/4	24-24			
				3024	3024-2	3024-3
5-1 1/4	5-1 1/4	5-0 3/4	26-26			
				3026	3026-2	3026-3
5-5 1/4	5-5 1/4	5-4 3/4	28-28			
				3028	3028-2	3028-3
5-9 1/4	5-9 1/4	5-8 3/4	30-30			
				3030	3030-2	3030-3
6-1 1/4	6-1 1/4	6-0 3/4	32-32			
				3032	3032-2	3032-3
6-5 1/4	6-5 1/4	6-4 3/4	34-34			
				3034	3034-2	

### OTHER GRILLE PATTERNS



### UNIT SIZE INFORMATION

- FOR CLAD BRICKMOULD**
- ADD 2 13/16" TO FRAME WIDTH
  - ADD 1 3/4" TO FRAME HEIGHT\*
- FOR CLAD WILLIAMSBURG**
- ADD 6 1/2" TO FRAME WIDTH
  - ADD 3 5/8" TO FRAME HEIGHT\*

NOTE:  
ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
TO CALCULATE MASONRY OPENING

NOTES:  
MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.  
SHADED SIZES MEET MOST EGRESS REQUIREMENTS VERIFY LOCAL CODES.

# Pinnacle Impact Series

## CLAD DOUBLE HUNG - 32" WIDE

### ELEVATIONS

SCALE: 1/8" = 1'-0"

Masonry Oppg.	3-2 1/8	6-3 1/2	9-4 7/8
Rough Oppg.	3-2 1/8	6-3 1/2	9-4 7/8
Frame	3-1 3/8	6-2 3/4	9-4 1/8
Glass	32	32	32
3-1 1/4			
3-5 1/4			
4-1 1/4			
4-5 1/4			
4-9 1/4			
5-1 1/4			
5-5 1/4			
5-9 1/4			
6-1 1/4			
6-5 1/4			

### OTHER GRILLE PATTERNS



### UNIT SIZE INFORMATION

- FOR CLAD BRICKMOULD**
- ADD 2 13/16" TO FRAME WIDTH
  - ADD 1 3/4" TO FRAME HEIGHT\*
- FOR CLAD WILLIAMSBURG**
- ADD 6 1/2" TO FRAME WIDTH
  - ADD 3 5/8" TO FRAME HEIGHT\*

NOTE:  
ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
TO CALCULATE MASONRY OPENING

NOTES:  
MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.  
SHADED SIZES MEET MOST EGRESS REQUIREMENTS VERIFY LOCAL CODES.

# Pinnacle Impact Series


## CLAD DOUBLE HUNG - TRANSOM

### ELEVATIONS

SCALE: 1/8" = 1'-0"

	Masonry Oppg.	1-10 1/8	2-2 1/8	2-6 1/8	2-10 1/8	3-0 1/8	3-2 1/8	3-6 1/8	3-10 1/8	4-2 1/8
	Rough Oppg.	1-10 1/8	2-2 1/8	2-6 1/8	2-10 1/8	3-0 1/8	3-2 1/8	3-6 1/8	3-10 1/8	4-2 1/8
	Frame	1-9 3/8	2-1 3/8	2-5 3/8	2-9 3/8	2-11 3/8	3-1 3/8	3-5 3/8	3-9 3/8	4-1 3/8
	Glass	17 3/8	21 3/8	25 3/8	29 3/8	31 3/8	33 3/8	37 3/8	41 3/8	45 3/8
1-0 1/2	1-0 1/2									
1-2 1/2	1-2 1/2									
1-4 1/2	1-4 1/2									
1-6 1/2	1-6 1/2									
2-0 1/2	2-0 1/2									
2-6 1/2	2-6 1/2									
3-0 1/2	3-0 1/2									

### OTHER GRILLE PATTERNS



PRAIRIE

PLAZA

PLAZA

### UNIT SIZE INFORMATION

#### FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT\*

#### FOR CLAD WILLIAMSBURG

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT\*

#### NOTE:

ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT TO CALCULATE MASONRY OPENING

NOTES:  
MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.