

Pinnacle Series

SECTION DETAILS : OPERATING / STATIONARY

SCALE: 3" = 1'-0"

OPERATING







Pinnacle Series CLAD AWNING

SECTION DETAILS : CASING OPTIONS

SCALE: 3" = 1'-0"









CLAD BRICKMOULD CASING WITH OPTIONAL J-CHANNEL COVER


Pinnacle Series CLAD AWNING


SECTION DETAILS: MULLIONS

SCALE: 3" = 1'-0"











VERTICAL MULLION WITH 2" SPREAD MULL ADDITIONAL WIDTHS INCLUDE: 2 1/2", 4" & 6"



Pinnacle Series CLAD AWNING

SECTION DETAILS : GLASS STOP & DIVIDED LITE OPTIONS

SCALE: 3" = 1'-0"



NOTE

^{*} ALL WDL OPTIONS CAN BE ORDERED WITH OR WITHOUT INNER BAR


^{*} PERIMETER GRILLES ONLY AVALIABLE IN THE 7/8" AND 1 1/4" OGEE STYLE GLASS STOP (SEE DETAIL: A)

Pinnacle Series


CLAD AWNING

SECTION DETAILS: CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING



JAMBS
2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL 2 X 4 FRAME WITH STUCCO



JAMBS 2 X 4 FRAME WITH STUCCO

NOTE:


THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.

Pinnacle Series


CLAD AWNING

SECTION DETAILS: CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL 2 X 4 FRAME WITH BRICK VENEER



JAMBS 2 X 4 FRAME WITH BRICK VENEER



HEAD JAMB & SILL 8" CONCRETE BLOCK WALL WITH BRICK VENEER



JAMBS 8" CONCRETE BLOCK WALL WITH BRICK VENEER