



Revive Double Hung/Picture Measurement Guidelines





IMPORTANT: Be sure to collect precise measurements in order for the product to fit correctly. Fill out unit information table on page 3.

- a) Inspect the existing window frame for squareness. Measure diagonally from corner to corner of the frame on both sides of unit. Both dimensions must not differ by more than 1/4".

Note: Existing frame must be square otherwise replacement unit will need modification in order to be installed correctly

- b) Measure the opening width (in inches) of the existing frame at the top, middle, and bottom of the frame (shown below). Record the smallest dimension measured.

Note: Verify the Jamb Pocket is $\geq 3 \frac{1}{4}"$ (shown below).



- c) Measure the opening height (in inches) of the existing frame at the left, right, and center of the frame. Record the smallest dimension measured.

Note: Measure from inside of head jamb to top of sill (see left).

- d) Determine the sill angle of the existing frame. Use the Sill Angle Tool located on the following page (page 2) to assist in determining the sill angle.

Measurement Guidelines (Continued)


Size Limitation Chart

Type	Sill Angle	Revive Replacement Unit (Frame Size)				Existing Frame (Opening Size)			
		Min Width	Max Width	Min Height	Max Height	Min Width	Max Width	Min Height	Max Height
Clad DH Operating	0-7 Degree	17 3/8	47 3/8	32 3/4	96 3/4	17 7/8	47 7/8	33 1/8	97 1/8
	>7 Degree							32 9/16	96 1/2
Clad DH Picture	0-7 Degree	11 3/8	73 3/8	13 1/4	96 3/4	11 7/8	73 7/8	13 5/8	97 1/8
	>7 Degree							13 1/16	96 1/2
Hybrid DH Operating	0-7 Degree	17 3/8	41 3/8	32 3/4	80 3/4	17 7/8	41 7/8	33 1/8	81 1/8
	>7 Degree							32 9/16	80 1/2
Hybrid DH Picture	0-7 Degree	13 3/8	73 3/8	13 1/4	76 3/4	13 7/8	73 7/8	13 5/8	77 1/8
	>7 Degree							13 1/16	76 1/2
Vinyl Casement	0-14 Degree	15 1/2	35 1/2	17 1/2	71 1/2	16	36	17 7/8	71 7/8
Vinyl Casement Picture	0-14 Degree	15 1/2	95 1/2	11 1/2	95 1/2	16	96	11 7/8	95 7/8
Vinyl SH Operating	0-14 Degree	13 1/2	47 1/2	23 1/2	83 1/2	14	48	23 7/8	83 7/8
Vinyl SH Picture	0-14 Degree	13 1/2	95 1/2	11 1/2	95 1/2	14	96	11 7/8	95 7/8
Vinyl DH Operating	0-14 Degree	17 1/2	47 1/2	23 1/2	81 1/2	18	48	23 7/8	81 7/8
Vinyl DH Picture	0-14 Degree	11 1/2	95 1/2	11 1/2	95 1/2	12	96	11 7/8	95 7/8

Notes:

- 1) Clad DH Picture - Max width on 96 3/4" tall unit = 42 1/8"
- 2) Hybrid DH Picture - Max width on 76 3/4" tall unit = 61 3/8"
- 3) Vinyl SH Operating - Height cannot exceed 77 1/2" when frame width is greater than 41 1/2"

Measure Existing Frame Sill Angle – Use the below template instructions to determine existing frame sill angle.



Measurement Guidelines (Continued)

IMPORTANT: Be sure to collect precise measurements in order for the product to fit correctly. Fill out unit information table on following page.

Existing Window Measurement Log				
#	Window Location/Room	Opening Width (Step B, page 1)	Opening Height (Step C, page 1)	Sill Angle (Step D, page 1)
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
Additional Notes:				