

SECTION DETAILS : OPERATING / STATIONARY SCALE: 3" = 1'-0"




HEAD JAMB & SILL

JAMBS




#### Legend HBR Series LEGEND HBR AWNING ELEVATIONS : CASING OPTIONS


ELEVATIONS : CASING OPTIONS SCALE: 3" = 1'-0"




HEAD JAMB WITH 3 1/2" FLAT CASING




HEAD JAMB WITH WILLIAMSBURG BRICKMOULD




HEAD JAMB WITH WM180 BRICKMOULD




HEAD JAMB WITH 4 1/2" BACKBAND




HEAD JAMB WITH 5 1/2" FLAT CASING




HEAD JAMB WITH 3 1/2" FLAT CASING WITH J-CHANNEL



HEAD JAMB WITH 180 FLANGED BRICKMOULD




STANDARD SUBSILL




2" SUBSILL


SECTION DETAILS : MULLIONS SCALE: 3" = 1'-0"



HORIZONTAL MULLION STATIONARY/OPERATOR




VERTICAL MULLION OPERATOR/PICTURE



VERTICAL MULLION OPERATOR WITH 2" SPREAD MULL

SECTION DETAILS : GLASS STOP & DIVIDED LITE OPTIONS SCALE: 3" = 1'-0"




NOTE:

\* ALL WDL OPTIONS CAN BE ORDERED WITH OR WITHOUT INNER BAR


\* PERIMETER GRILLES ONLY AVAILABLE IN THE 7/8" AND 1 1/4" OGEE STYLE GLASS STOP (SEE DETAIL: A)

10/0/46


SECTION DETAILS : CONSTRUCTION SCALE: 2" = 1'-0"




2 X 6 FRAME WITH SIDING



JAMB 2 X 6 FRAME WITH SIDING






JAMB 2 X 4 FRAME WITH STUCCO

NOTE :

THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.

SECTION DETAILS : CONSTRUCTION SCALE: 2" = 1'-0"



NOTE :

THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.