

























Pinnacle Impact Series
CLAD DOUBLE HUNG - 16" WIDE


ELEVATIONS
SCALE: 1/8" = 1'-0"

Masonry Opg.	Rough Opg.	Frame	Glass	1-10 1/8	3-7 1/2	5-4 7/8
				1-10 1/8	3-7 1/2	5-4 7/8
				1-9 3/8	3-6 3/4	5-4 1/8
				16	16	16
3-1 1/4	3-1 1/4	3-0 3/4	14-14	 1614	 1614-2	 1614-3
3-5 1/4	3-5 1/4	3-4 3/4	16-16	 1616	 1616-2	 1616-3
4-1 1/4	4-1 1/4	4-0 3/4	20-20	 1620	 1620-2	 1620-3
4-5 1/4	4-5 1/4	4-4 3/4	22-22	 1622	 1622-2	 1622-3
4-9 1/4	4-9 1/4	4-8 3/4	24-24	 1624	 1624-2	 1624-3
5-1 1/4	5-1 1/4	5-0 3/4	26-26	 1626	 1626-2	 1626-3
5-5 1/4	5-5 1/4	5-4 3/4	28-28	 1628	 1628-2	 1628-3
5-9 1/4	5-9 1/4	5-8 3/4	30-30	 1630	 1630-2	 1630-3
6-1 1/4	6-1 1/4	6-0 3/4	32-32	 1632	 1632-2	 1632-3
6-5 1/4	6-5 1/4	6-4 3/4	34-34	 1634	 1634-2	 1634-3

OTHER GRILLE PATTERNS


PRAIRIE


PLAZA


DIAMOND

UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD
- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG
- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

NOTE:
ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT TO CALCULATE MASONRY OPENING

8/3/16


NOTES:
MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.


Pinnacle Impact Series
CLAD DOUBLE HUNG - 20" WIDE


ELEVATIONS
SCALE: 1/8" = 1'-0"

Masonry Opg.	Rough Opg.	Frame	Glass	2-2 1/8	4-3 1/2	6-4 7/8
				2-2 1/8	4-3 1/2	6-4 7/8
				2-1 3/8	4-2 3/4	6-4 1/8
				20	20	20
3-1 1/4	3-1 1/4	3-0 3/4	14-14	2014	2014-2	2014-3
3-5 1/4	3-5 1/4	3-4 3/4	16-16	2016	2016-2	2016-3
4-1 1/4	4-1 1/4	4-0 3/4	20-20	2020	2020-2	2020-3
4-5 1/4	4-5 1/4	4-4 3/4	22-22	2022	2022-2	2022-3
4-9 1/4	4-9 1/4	4-8 3/4	24-24	2024	2024-2	2024-3
5-1 1/4	5-1 1/4	5-0 3/4	26-26	2026	2026-2	2026-3
5-5 1/4	5-5 1/4	5-4 3/4	28-28	2028	2028-2	2028-3
5-9 1/4	5-9 1/4	5-8 3/4	30-30	2030	2030-2	2030-3
6-1 1/4	6-1 1/4	6-0 3/4	32-32	2032	2032-2	2032-3
6-5 1/4	6-5 1/4	6-4 3/4	34-34	2034	2034-2	2034-3

OTHER GRILLE PATTERNS


PRAIRIE


PLAZA


DIAMOND

UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD
- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*































FOR CLAD WILLIAMSBURG
- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

NOTE:
ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING


NOTES:
MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.


Pinnacle Impact Series
CLAD DOUBLE HUNG - 24" WIDE


ELEVATIONS
SCALE: 1/8" = 1'-0"

Masonry Opg.	Rough Opg.	Frame	Glass	2-6 1/8	4-11 1/2	7-4 7/8
				2-6 1/8	4-11 1/2	7-4 7/8
				2-5 3/8	4-10 3/4	7-4 1/8
				24	24	24
3-1 1/4	3-1 1/4	3-0 3/4	14-14	 2414	 2414-2	 2414-3
3-5 1/4	3-5 1/4	3-4 3/4	16-16	 2416	 2416-2	 2416-3
4-1 1/4	4-1 1/4	4-0 3/4	20-20	 2420	 2420-2	 2420-3
4-5 1/4	4-5 1/4	4-4 3/4	22-22	 2422	 2422-2	 2422-3
4-9 1/4	4-9 1/4	4-8 3/4	24-24	 2424	 2424-2	 2424-3
5-1 1/4	5-1 1/4	5-0 3/4	26-26	 2426	 2426-2	 2426-3
5-5 1/4	5-5 1/4	5-4 3/4	28-28	 2428	 2428-2	 2428-3
5-9 1/4	5-9 1/4	5-8 3/4	30-30	 2430	 2430-2	 2430-3
6-1 1/4	6-1 1/4	6-0 3/4	32-32	 2432	 2432-2	 2432-3
6-5 1/4	6-5 1/4	6-4 3/4	34-34	 2434	 2434-2	 2434-3

OTHER GRILLE PATTERNS


PRAIRIE


PLAZA


DIAMOND

UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD
- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG
- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

NOTE:
ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING


NOTES:
MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.
SHADED SIZES MEET MOST EGRESS REQUIREMENTS VERIFY LOCAL CODES.

Pinnacle Impact Series
CLAD DOUBLE HUNG - 28" WIDE

ELEVATIONS
SCALE: 1/8" = 1'-0"

Masonry Opg.	Rough Opg.	Frame	Glass	2-10 1/8	5-7 1/2	8-4 7/8
				2-10 1/8	5-7 1/2	8-4 7/8
				2-9 3/8	5-6 3/4	8-4 1/8
				28	28	28
3-1 1/4	3-1 1/4	3-0 3/4	14-14	2814	2814-2	2814-3
3-5 1/4	3-5 1/4	3-4 3/4	16-16	2816	2816-2	2816-3
4-1 1/4	4-1 1/4	4-0 3/4	20-20	2820	2820-2	2820-3
4-5 1/4	4-5 1/4	4-4 3/4	22-22	2822	2822-2	2822-3
4-9 1/4	4-9 1/4	4-8 3/4	24-24	2824	2824-2	2824-3
5-1 1/4	5-1 1/4	5-0 3/4	26-26	2826	2826-2	2826-3
5-5 1/4	5-5 1/4	5-4 3/4	28-28	2828	2828-2	2828-3
5-9 1/4	5-9 1/4	5-8 3/4	30-30	2830	2830-2	2830-3
6-1 1/4	6-1 1/4	6-0 3/4	32-32	2832	2832-2	2832-3
6-5 1/4	6-5 1/4	6-4 3/4	34-34	2834	2834-2	

OTHER GRILLE PATTERNS



PRAIRIE PLAZA DIAMOND

UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD
- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG
- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

NOTE:
ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING


NOTES:
MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.
SHADED SIZES MEET MOST EGRESS REQUIREMENTS VERIFY LOCAL CODES.

Pinnacle Impact Series
CLAD DOUBLE HUNG - 30" WIDE

ELEVATIONS
SCALE: 1/8" = 1'-0"

Masonry Opg.	Rough Opg.	Frame	Glass	3-2 3/4	6-2 1/8	8-11 1/2
				3-0 1/8	5-11 1/2	8-10 7/8
				2-11 3/8	5-10 3/4	8-10 1/8
				30	30	30
3-1 1/4	3-1 1/4	3-0 3/4	14-14	3014	3014-2	3014-3
3-5 1/4	3-5 1/4	3-4 3/4	16-16	3016	3016-2	3016-3
4-1 1/4	4-1 1/4	4-0 3/4	20-20	3020	3020-2	3020-3
4-5 1/4	4-5 1/4	4-4 3/4	22-22	3022	3022-2	3022-3
4-9 1/4	4-9 1/4	4-8 3/4	24-24	3024	3024-2	3024-3
5-1 1/4	5-1 1/4	5-0 3/4	26-26	3026	3026-2	3026-3
5-5 1/4	5-5 1/4	5-4 3/4	28-28	3028	3028-2	3028-3
5-9 1/4	5-9 1/4	5-8 3/4	30-30	3030	3030-2	3030-3
6-1 1/4	6-1 1/4	6-0 3/4	32-32	3032	3032-2	3032-3
6-5 1/4	6-5 1/4	6-4 3/4	34-34	3034	3034-2	

OTHER GRILLE PATTERNS



PRAIRIE PLAZA DIAMOND

UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD
- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*



























FOR CLAD WILLIAMSBURG
- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

NOTE:
ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING


NOTES:
MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.
SHADED SIZES MEET MOST EGRESS REQUIREMENTS VERIFY LOCAL CODES.

Pinnacle Impact Series
CLAD DOUBLE HUNG - 32" WIDE

ELEVATIONS
SCALE: 1/8" = 1'-0"

Masonry Opg.	Rough Opg.	Frame	Glass	3-2 1/8	6-3 1/2	9-4 7/8
				3-2 1/8	6-3 1/2	9-4 7/8
				3-1 3/8	6-2 3/4	9-4 1/8
				32	32	32
3-1 1/4	3-1 1/4	3-0 3/4	14-14	 3214	 3214-2	 3214-3
3-5 1/4	3-5 1/4	3-4 3/4	16-16	 3216	 3216-2	 3216-3
4-1 1/4	4-1 1/4	4-0 3/4	20-20	 3220	 3220-2	 3220-3
4-5 1/4	4-5 1/4	4-4 3/4	22-22	 3222	 3222-2	 3222-3
4-9 1/4	4-9 1/4	4-8 3/4	24-24	 3224	 3224-2	 3224-3
5-1 1/4	5-1 1/4	5-0 3/4	26-26	 3226	 3226-2	 3226-3
5-5 1/4	5-5 1/4	5-4 3/4	28-28	 3228	 3228-2	 3228-3
5-9 1/4	5-9 1/4	5-8 3/4	30-30	 3230	 3230-2	 3230-3
6-1 1/4	6-1 1/4	6-0 3/4	32-32	 3232	 3232-2	
6-5 1/4	6-5 1/4	6-4 3/4	34-34	 3234	 3234-2	

OTHER GRILLE PATTERNS


PRAIRIE PLAZA DIAMOND

UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD
- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG
- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

NOTE:
ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING


NOTES:
MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.
SHADED SIZES MEET MOST EGRESS REQUIREMENTS VERIFY LOCAL CODES.

Pinnacle Impact Series
CLAD DOUBLE HUNG - TRANSOM

ELEVATIONS
SCALE: 1/8" = 1'-0"

Masonry Opg.	Rough Opg.	Frame	Glass								
				1-10 1/8	2-2 1/8	2-6 1/8	2-10 1/8	3-0 1/8	3-2 1/8	3-6 1/8	3-10 1/8	4-2 1/8
				1-10 1/8	2-2 1/8	2-6 1/8	2-10 1/8	3-0 1/8	3-2 1/8	3-6 1/8	3-10 1/8	4-2 1/8
				1-9 3/8	2-1 3/8	2-5 3/8	2-9 3/8	2-11 3/8	3-1 3/8	3-5 3/8	3-9 3/8	4-1 3/8
				17 3/8	21 3/8	25 3/8	29 3/8	31 3/8	33 3/8	37 3/8	41 3/8	45 3/8
1-0 1/2	1-0 1/2	1-0	8	1608	2008	2408	2808	3008	3208	3608	4008	4408
1-2 1/2	1-2 1/2	1-2	10	1610	2010	2410	2810	3010	3210	3610	4010	4410
1-4 1/2	1-4 1/2	1-4	12	1612	2012	2412	2812	3012	3212	3612	4012	4412

OTHER GRILLE PATTERNS



PRAIRIE PLAZA PLAZA

UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD
- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG
- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

NOTE:
ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING

NOTES:
MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.