



SECTION DETAILS : OPERATING / STATIONARY SCALE: 3" = 1'-0"






SECTION DETAILS : OPERATING / STATIONARY WITH CONTEMPORARY STOPS SCALE: 3" = 1'-0"







ELEVATIONS: PICTURE / TRANSOM



ELEVATIONS: PICTURE WITH CONTEMPORARY STOPS





ELEVATIONS : CASINGS




SECTION DETAILS: MULLIONS

SCALE: 3" = 1'-0"









OPERATOR WITH 2" SPREAD MULL

SECTION DETAILS: GLASS STOP & DIVIDED LITE OPTIONS








 $[\]frac{\text{NOTE}}{\text{* ALL WDL OPTIONS CAN BE ORDERED WITH OR WITHOUT INNER BAR}}$


SECTION DETAILS: CONSTRUCTION

SCALE: 2" = 1'-0"









NOTE -


THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.

Legend Series


LEGEND CASEMENT


SECTION DETAILS: CONSTRUCTION

SCALE: 2" = 1'-0"



8" CONCRETEBLOCK WALL WITH BRICK VENEER





8" CONCRETE BLOCK WALL WITH BRICK VENEER

NOTE .

THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.

SECTION DETAILS : 30 / 45 DEGREE BAY NOT TO SCALE

