

SECTION DETAILS SCALE: 3" = 1'-0"




HEAD JAMB & SILL




JAMBS

Pinnacle Series CLAD GLIDE-BY TRIPLE


SECTION DETAILS SCALE: 3" = 1'-0"






JAMBS

SECTION DETAILS : CASING OPTIONS SCALE: 3" = 1'-0"




CLAD BRICKMOULD CASING WITH OPTIONAL J-CHANNEL COVER


SECTION DETAILS : MULLIONS SCALE: 3" = 1'-0"




VERTICAL MULLION OPERATOR/OPERATOR




VERTICAL MULLION WITH 2" SPREAD MULL OPERATOR/OPERATOR






HORIZONTAL MULLION RADIUS/OPERATOR



NOTE : FOR INFORMATION ON STRUCTURAL MULLIONS REFER TO THE PRODUCT PERFORMANCE AND INFORMATION SECTION.

SECTION DETAILS : GLASS STOP & DIVIDED LITE OPTIONS

SCALE: 3" = 1'-0"





INSULATING GLASS




3/4" PROFILED INNERGRILLE




INNERGRILLE



7/8" STICK & PERIMETER GRILLE



1 1/4" STICK & PERIMETER GRILLE



7/8" WDL WITH INNERBAR







1 1/4" WDL WITH

INNERBAR

au Mille



2" WDL WITH

INNERBAR









* PERIMETER GRILLES ONLY AVAILABLE IN THE 7/8" AND 1 1/4" OGEE STYLE GLASS STOP (SEE DETAIL: A)


SECTION DETAILS : CONSTRUCTION SCALE: 2" = 1'-0"




HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL 2 X 4 FRAME WITH STUCCO




JAMBS 2 X 4 FRAME WITH STUCCO

NOTE : THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.


Pinnacle Series

CLAD GLIDE-BY SECTION DETAILS : CONSTRUCTION

SCALE: 2" = 1'-0"



HEAD JAMB & SILL 2 X 4 FRAME WITH BRICK VENEER



JAMBS 2 X 4 FRAME WITH BRICK VENEER

