


SECTION DETAILS : OPERATING / STATIONARY SCALE: 3" = 1'-0"






ELEVATIONS: PICTURE / TRANSOM

SCALE: 3" = 1'-0"




ELEVATIONS : CASINGS


SCALE: 3" = 1'-0"




SECTION DETAILS: MULLIONS

SCALE: 3" = 1'-0"









OPERATOR WITH 2" SPREAD MULL

SECTION DETAILS: GLASS STOP & DIVIDED LITE OPTIONS

SCALE: 3" = 1'-0"








 $[\]frac{\text{NOTE}}{\text{* ALL WDL OPTIONS CAN BE ORDERED WITH OR WITHOUT INNER BAR}}$


SECTION DETAILS: CONSTRUCTION

SCALE: 2" = 1'-0"










NOTE .


THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.

SECTION DETAILS: CONSTRUCTION

SCALE: 2" = 1'-0"



8" CONCRETEBLOCK WALL WITH BRICK VENEER



ROUGH OPENING

FRAME
SIZE

3/8"

3/8"

1/4" MIN.

MASONRY OPENING

JAMB

8" CONCRETE BLOCK WALL WITH BRICK VENEER

NOTE :

THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.

SECTION DETAILS : 30 / 45 DEGREE BAY NOT TO SCALE

