


SECTION DETAILS: OPERATOR

SCALE: 3" = 1'-0"







SECTION DETAILS: MULLIONS




HORIZONTAL 1/2" MULLION FIXED/OPERATOR



VERTICAL 1/2" MULLION OPERATOR/FIXED



VERTICAL T-BAR OPERATOR/OPERATOR



VERTICAL 1/2" MULLION OPERATOR/OPERATOR

SECTION DETAILS: DIVIDED LITE OPTIONS

SCALE: 3" = 1'-0"



INSULATING GLASS



3/4" PROFILED INNERGRILLE



7/8" PUTTY WDL WITH INNERBAR



7/8" PUTTY WDL (EXTERIOR ONLY) WITH 13/16" FLAT INNERGRILLE




5/8" PUTTY WDL WITH INNERBAR




5/8" PUTTY WDL (EXTERIOR ONLY) WITH 5/8" FLAT INNERGRILLE

SECTION DETAILS : CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING



JAMBS 2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL 2 X 4 FRAME WITH STUCCO




JAMBS 2 X 4 FRAME WITH STUCCO


NOTE:

SECTION DETAILS: CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL 2 X 4 FRAME WITH BRICK VENEER



JAMBS 2 X 4 FRAME WITH BRICK VENEER



HEAD JAMB & SILL 8" CONCRETE BLOCK WALL WITH BRICK VENEER



JAMBS 8" CONCRETE BLOCK WALL WITH BRICK VENEER

THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.