

Pinnacle Series CLAD AWNING

SECTION DETAILS: OPERATING / STATIONARY

SCALE: 3" = 1'-0"


OPERATING






Pinnacle Series CLAD AWNING


SECTION DETAILS : OPERATING / STATIONARY WITH CONTEMPORARY STOPS SCALE: 3" = 1'-0"







CLAD AWNING


SECTION DETAILS : CASING OPTIONS SCALE: 3" = 1'-0"









CLAD BRICKMOULD CASING WITH OPTIONAL J-CHANNEL COVER




HEAD JAMB WITH CLAD SQUARE BRICKMOULD CASING




HEAD JAMB WITH CLAD WILLIAMSBURG CASING




HEAD JAMB WITH 3 1/2" CLAD FLAT CASING



SILL WITH 3/8" CLAD SUBSILL 6/17/19




SILL WITH 1 1/4" CLAD SUBSILL




Pinnacle Series CLAD AWNING


SECTION DETAILS: MULLIONS

SCALE: 3" = 1'-0"







VERTICAL MULLION OPERATOR/OPERATOR




(ONLY USED WITH 4 9/16" JAMB & 3 1/4" FRAME EXPANDER)



VERTICAL MULLION OPERATOR/PICTURE




VERTICAL MULLION WITH 2" SPREAD MULL ADDITIONAL WIDTHS INCLUDE: 1", 2", 2 1/2", 3", & 4"



Pinnacle Series CLAD AWNING

SECTION DETAILS : GLASS STOP & DIVIDED LITE OPTIONS SCALE: 3" = 1'-0"



NOTE:


^{*} ALL WDL OPTIONS CAN BE ORDERED WITH OR WITHOUT INNER BAR

^{*} PERIMETER GRILLES ONLY AVALIABLE IN THE 7/8" AND 1 1/4" OGEE STYLE GLASS STOP (SEE DETAIL: A) 6/17/19


CLAD AWNING

SECTION DETAILS: CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING



JAMBS
2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL 2 X 4 FRAME WITH STUCCO



JAMBS 2 X 4 FRAME WITH STUCCO


NOTE:

THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.


CLAD AWNING

SECTION DETAILS : CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL 2 X 4 FRAME WITH BRICK VENEER



JAMBS 2 X 4 FRAME WITH BRICK VENEER



HEAD JAMB & SÌL 8" CONCRETE BLOCK: WALL WITH BRICK VENEËR




JAMBS 8" CONCRETE BLOCK WALL WITH BRICK VENEER

Pinnacle Series CLAD AWNING - 3 1/4" FRAME


SECTION DETAILS : OPERATING

SCALE: 3" = 1'-0"

OPERATING



HEAD JAMB & SILL




JAMBS

Pinnacle Series CLAD AWNING - 3 1/4" FRAME


SECTION DETAILS: PICTURE

SCALE: 3" = 1'-0"

PICTURE



HEAD JAMB & SILL




JAMBS


CLAD CASEMENT - 3 1/4" FRAME

SECTION DETAILS : MULLIONS


SCALE: 3" = 1'-0"




STATIONARY/OPERATOR



VERTICAL MULLION OPERATOR/OPERATOR




VERTICAL MULLION OPERATOR/PICTURE




Pinnacle Series CLAD CASEMENT - 3 1/4" FRAME

SECTION DETAILS: FLUSH FIN

SCALE: 3" = 1'-0"







CLAD CASEMENT

SECTION DETAILS: CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL : 2 X 6 FRAME WITH SIDING



JAMBS 2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL 2 X 4 FRAME WITH STUCCO



JAMBS 2 X 4 FRAME WITH STUCCO


NOTE

THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.


Pinnacle Series CLAD CASEMENT

SECTION DETAILS : CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL 2 X 4 FRAME WITH BRICK VENEER



JAMBS 2 X 4 FRAME WITH BRICK VENEER



HEAD JAMB & SILL 8" CONCRETE BLOCK WALL WITH BRICK VENEER



JAMBS 8" CONCRETE BLOCK WALL WITH BRICK VENEER