


SECTION DETAILS : OPERATING / PICTURE SCALE: 3" = 1'-0"






SECTION DETAILS: TRANSOM


SCALE: 3" = 1'-0"



SECTION DETAILS : CASING OPTIONS


SCALE: 3" = 1'-0"







Pinnacle Series PRIMED DOUBLE HUNG SECTION DETAILS: CASING OPTIONS

SCALE: 3" = 1'-0"











SECTION DETAILS: MULLIONS


SCALE: 3" = 1'-0"














RADIUS/OPERATOR



SLIMLINE VERTICAL MULLION OPERATOR/OPERATOR

SECTION DETAILS: GLASS STOP & DIVIDED LITE OPTIONS SCALE: 3" = 1'-0"







NOTE:
* ALL WDL OPTIONS CAN BE ORDERED WITH OR WITHOUT INNER BAR

^{*} PERIMETER GRILLES ONLY AVAILABLE IN THE 7/8" AND 1 1/4" OGEE STYLE GLASS STOP (SEE DETAIL: A)

SECTION DETAILS: CONSTRUCTION

SCALE: 2" = 1'-0"






UNIT SIZE

FRAME ROUGH OPENING

HEAD JAMB & SILL




NOTE

2 X 4 FRAME WITH STUCCO


THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.

SECTION DETAILS: CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL 2 X 4 FRAME WITH BRICK VENEER



JAMBS
2 X 4 FRAME WITH BRICK VENEER



HEAD JAMB & SILL 8" CONCRETE BLOCK WALL WITH BRICK VENEER




8" CONCRETE BLOCK WALL WITH BRICK VENEER

NOTE:

THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS, PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.

SECTION DETAILS: 30/45 DEGREES BAY

SCALE: 2" = 1'-0"



30 DEGREE BAY

