

CLAD DOUBLE HUNG - Concealed Jambliner Option

SECTION DETAILS : OPERATING / PICTURE

SCALE: 3" = 1'-0"






CLAD DOUBLE HUNG - Concealed Jambliner Option

SECTION DETAILS: TRANSOM


SCALE: 3" = 1'-0"




CLAD DOUBLE HUNG - Concealed Jambliner Option

SECTION DETAILS : CASING OPTIONS


SCALE: 3" = 1'-0"



HEAD JAMB WITH CLAD WILLIAMSBURG CASING




HEAD JAMB WITH 3 1/2" CLAD FLAT CASING




CLAD BRICKMOULD CASING

SILL WITH 3/8" CLAD SUBSILL



SILL WITH 1 1/4" CLAD SUBSILL




CLAD BRICKMOULD CASING WITH OPTIONAL J-CHANNEL COVER


CLAD DOUBLE HUNG - Concealed Jambliner Option

SECTION DETAILS: MULLIONS


SCALE: 3" = 1'-0"




RADIUS/OPERATOR




VERTICAL MULLION OPERATOR/OPERATOR




PICTURE/OPERATOR (ONLY USED WITH 4 9/16" JAMB & 3 1/4" FRAME EXPANDER)



VERTICAL MULLION OPERATOR/PICTURE



VERTICAL MULLION WITH 2" SPREAD MULL ADDITIONAL WIDTHS INCLUDE: 1", 2", 2 1/2", 3", & 4"




FOR INFORMATION ON STRUCTURAL MULLIONS REFER TO THE PRODUCT PERFORMANCE AND INFORMATION SECTION.

CLAD DOUBLE HUNG - Concealed Jambliner Option

SECTION DETAILS : DIVIDED LITE OPTIONS

SCALE: 3" = 1'-0"



NOTE:


^{*} ALL WDL OPTIONS CAN BE ORDERED WITH OR WITHOUT INNER BAR

^{*} PERIMETER GRILLES ONLY AVAILABLE IN THE 7/8" AND 1 1/4" OGEE STYLE GLASS STOP (SEE DETAIL: A)


CLAD DOUBLE HUNG - Concealed Jambliner Option

SECTION DETAILS : CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL 2 X 4 FRAME WITH STUCCO



JAMBS 2 X 4 FRAME WITH STUCCO


NOTE :

THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.

CLAD DOUBLE HUNG - Concealed Jambliner Option

SECTION DETAILS: CONSTRUCTION

SCALE: 2" = 1'-0"



MASONRY OPENING

1/4"
MIN.


1/4"
MIN.

3/8"


FRAME SIZE

ROUGH OPENING

JAMBS 2 X 4 FRAME WITH BRICK VENEER



WITH BRICK VENEER



JAMBS 8" CONCRETE BLOCK WALL WITH BRICK VENEER

CLAD DOUBLE HUNG - Concealed Jambliner Option

SECTION DETAILS: 30/45 DEGREES BAY

SCALE: 2" = 1'-0"

