















Legend HBR Series

LEGEND HBR PATIO DOOR - INSWING

ELEVATIONS

SCALE: 1/8" = 1'-0"

	Masonry Oppg. Rough Oppg. Frame Glass	2-9 7/16 2-6 15/16 2-6 3/16 20	5-3 1/4 5-0 3/4 5-0 20	7-9 1/16 7-6 9/16 7-5 13/16 20	8-2 3/8 7-11 7/8 7-11 1/8 11 1/2 - 20 - 11 1/2	9-2 7/8 9-0 3/8 8-11 5/8 14 - 20 - 14	10-2 7/8 10-0 3/8 9-11 5/8 20
6-9 1/4 6-8 6-7 1/2 63 7/8							
		2668	5068	7668	16-50-1668	20-50-2068	26-50-2668
7-0 1/8 6-10 7/8 6-10 3/8 66 3/4							
		26610	50610	76610	16-50-16610	20-50-20610	26-50-26610
8-1 1/8 7-11 7/8 7-11 3/8 79 3/4							
		2680	5080	7680			
9-1 1/8 8-11 7/8 8-11 3/8 91 3/4							
		2690	5090				

NOTE:

THE ACTIVE PANEL (X) CAN BE PLACED IN ANY POSITION AND HINGED IN EITHER DIRECTION, LEFT (XL), OR RIGHT (XR). THE REMAINING PANEL(S) MUST BE IN A FIXED POSITION. SEE PAGE DLSW-7 FOR HANDING OPTIONS.

FOR DOORS WITH HANDICAP SILL, SUBTRACT 1 3/8" FROM FRAME & ROUGH OPENING HEIGHTS.

OTHER GRILLE PATTERNS




PRAIRIE




PLAZA


OTHER PANEL OPTIONS




1/2 LITE
PANEL



3/4 LITE
PANEL



1/2 LITE
DIVIDED PANEL



3/4 LITE
DIVIDED PANEL

UNIT SIZE INFORMATION

FOR 3 1/2" FLAT CASING

- ADD 5 1/2" TO FRAME WIDTH
- ADD 2 3/4" TO FRAME HEIGHT

FOR 4 1/2" BACKBAND

- ADD 7 1/2" TO FRAME WIDTH
- ADD 3 3/4" TO FRAME HEIGHT

FOR 5 1/2" FLAT CASING

- ADD 9 1/2" TO FRAME WIDTH
- ADD 4 3/4" TO FRAME HEIGHT

FOR WILLIAMSBURG

- ADD 5" TO FRAME WIDTH
- ADD 2 1/2" TO FRAME HEIGHT

FOR PLANTATION

- ADD 5 1/2" TO FRAME WIDTH
- ADD 4 3/4" TO FRAME HEIGHT

NOTE:

ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT TO CALCULATE MASONRY OPENING

NOTES:














MASONRY OPENINGS ARE FOR STANDARD 180 BRICKMOULD
ALL UNITS LISTED ARE BUILT AS ONE FRAME

Legend HBR Series

LEGEND HBR PATIO DOOR - INSWING

ELEVATIONS

SCALE: 1/8" = 1'-0"


Masonry Opp. Rough Opp. Frame Glass	2-11 7/16	5-7 1/4	8-3 1/16	8-2 3/8
	2-8 15/16	5-4 3/4	8-0 9/16	7-11 7/8
	2-8 3/16	5-4	7-11 13/16	7-11 1/8
	22	22	22	9 1/2 - 22 - 9 1/2
6-9 1/4				
	2868	5468	8068	14-54-1468
6-8				
	28610	54610	80610	14-54-14610
6-7 1/2				
	2880	5480	8080	
63 7/8				
	2890	5490		

NOTE:

THE ACTIVE PANEL (X) CAN BE PLACED IN ANY POSITION AND HINGED IN EITHER DIRECTION, LEFT (XL), OR RIGHT (XR). THE REMAINING PANEL(S) MUST BE IN A FIXED POSITION.

FOR DOORS WITH HANDICAP SILL, SUBTRACT 1 3/8" FROM FRAME & ROUGH OPENING HEIGHTS.


OTHER GRILLE PATTERNS




PRAIRIE

PLAZA


OTHER PANEL OPTIONS




1/2 LITE
PANEL



3/4 LITE
PANEL



1/2 LITE
DIVIDED PANEL



3/4 LITE
DIVIDED PANEL

UNIT SIZE INFORMATION

FOR 3 1/2" FLAT CASING

- ADD 5 1/2" TO FRAME WIDTH
- ADD 2 3/4" TO FRAME HEIGHT

FOR 4 1/2" BACKBAND

- ADD 7 1/2" TO FRAME WIDTH
- ADD 3 3/4" TO FRAME HEIGHT

FOR 5 1/2" FLAT CASING

- ADD 9 1/2" TO FRAME WIDTH
- ADD 4 3/4" TO FRAME HEIGHT

FOR WILLIAMSBURG

- ADD 5" TO FRAME WIDTH
- ADD 2 1/2" TO FRAME HEIGHT

FOR PLANTATION

- ADD 5 1/2" TO FRAME WIDTH
- ADD 4 3/4" TO FRAME HEIGHT

NOTE:

ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT TO CALCULATE MASONRY OPENING

NOTES:
















MASONRY OPENINGS ARE FOR STANDARD 180 BRICKMOULD
ALL UNITS LISTED ARE BUILT AS ONE FRAME

Legend HBR Series

LEGEND HBR PATIO DOOR - INSWING

ELEVATIONS

SCALE: 1/8" = 1'-0"

	Masonry Opg. Rough Opg. Frame Glass	3-3 7/16 3-0 15/16 3-0 3/16 26	6-3 1/4 6-0 3/4 6-0 26	9-3 1/16 9-0 9/16 8-11 13/16 26	9-2 3/8 8-11 7/8 8-11 1/8 11 1/2 - 26 - 11 1/2	10-2 7/8 10-0 3/8 9-11 5/8 14 - 26 - 14
6-9 1/4 6-8 6-7 1/2 6-3 7/8						
		3068	6068	9068	16-60-1668	20-60-2068
7-0 1/8 6-10 7/8 6-10 3/8 6-6 3/4						
		30610	60610	90610	16-60-16610	20-60-20610
8-1 1/8 7-11 7/8 7-11 3/8 7-9 3/4						
		3080	6080	9080		
9-1 1/8 8-11 7/8 8-11 3/8 9-1 3/4						
		3090	6090			

NOTE:

THE ACTIVE PANEL (X) CAN BE PLACED IN ANY POSITION AND HINGED IN EITHER DIRECTION, LEFT (XL), OR RIGHT (XR). THE REMAINING PANEL(S) MUST BE IN A FIXED POSITION.

FOR DOORS WITH HANDICAP SILL, SUBTRACT 1 3/8" FROM FRAME & ROUGH OPENING HEIGHTS.

UNIT SIZE INFORMATION

FOR 3 1/2" FLAT CASING

- ADD 5 1/2" TO FRAME WIDTH
- ADD 2 3/4" TO FRAME HEIGHT

FOR 4 1/2" BACKBAND

- ADD 7 1/2" TO FRAME WIDTH
- ADD 3 3/4" TO FRAME HEIGHT

FOR 5 1/2" FLAT CASING

- ADD 9 1/2" TO FRAME WIDTH
- ADD 4 3/4" TO FRAME HEIGHT

FOR WILLIAMSBURG

- ADD 5" TO FRAME WIDTH
- ADD 2 1/2" TO FRAME HEIGHT

FOR PLANTATION

- ADD 5 1/2" TO FRAME WIDTH
- ADD 4 3/4" TO FRAME HEIGHT

NOTE:

ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT TO CALCULATE MASONRY OPENING

NOTES:










MASONRY OPENINGS ARE FOR STANDARD 180 BRICKMOULD
ALL UNITS LISTED ARE BUILT AS ONE FRAME

Legend HBR Series

LEGEND HBR PATIO DOOR - INSWING

ELEVATIONS

SCALE: 1/8" = 1'-0"


Masonry Opg. Rough Opg. Frame Glass	3-4 15/16	6-6 1/4	4-3 1/4
	3-2 7/16	6-3 3/4	4-0 3/4
	3-1 11/16	6-3	4-0
	27 1/2	27 1/2	14
6-9 1/4			
6-8	3268	6468	4068
6-7 1/2			BI-HINGE ONLY
63 7/8			
7-0 1/8	32610	64610	40610
6-10 7/8			BI-HINGE ONLY
6-10 3/8			
66 3/4	3280	6480	4080
8-1 1/8			BI-HINGE ONLY
7-11 7/8			
7-11 3/8			
79 3/4			

NOTE:


THE ACTIVE PANEL (X) CAN BE PLACED IN ANY POSITION AND HINGED IN EITHER DIRECTION, LEFT (XL), OR RIGHT (XR). THE REMAINING PANEL(S) MUST BE IN A FIXED POSITION.

FOR DOORS WITH HANDICAP SILL, SUBTRACT 1 3/8" FROM FRAME & ROUGH OPENING HEIGHTS.

OTHER GRILLE PATTERNS



OTHER PANEL OPTIONS



UNIT SIZE INFORMATION

FOR 3 1/2" FLAT CASING

- ADD 5 1/2" TO FRAME WIDTH
- ADD 2 3/4" TO FRAME HEIGHT

FOR 4 1/2" BACKBAND

- ADD 7 1/2" TO FRAME WIDTH
- ADD 3 3/4" TO FRAME HEIGHT

FOR 5 1/2" FLAT CASING

- ADD 9 1/2" TO FRAME WIDTH
- ADD 4 3/4" TO FRAME HEIGHT

FOR WILLIAMSBURG

- ADD 5" TO FRAME WIDTH
- ADD 2 1/2" TO FRAME HEIGHT

FOR PLANTATION

- ADD 5 1/2" TO FRAME WIDTH
- ADD 4 3/4" TO FRAME HEIGHT

NOTE:

ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT TO CALCULATE MASONRY OPENING

NOTES:

MASONRY OPENINGS ARE FOR STANDARD 180 BRICKMOULD
ALL UNITS LISTED ARE BUILT AS ONE FRAME

Legend HBR Series

LEGEND HBR PANEL DOOR - INSWING

GRILL PANELS FOR PANEL DOORS

SCALE: 1/8" = 1'-0"

3/4 LITE




1268




1468




1668




2068




2668



2868



3068




12610




14610




16610




20610



26610



28610



30610




1280




1480




1680




2080



2680




2880



3080

PANEL HEIGHT & MIDRAIL LOCATIONS



NOTES:

HORIZONTAL GRILLE BARS WILL ONLY ALIGN WITH SIMILAR PANELS OR SIDE PANELS




Legend HBR Series

LEGEND HBR PANEL DOOR - INSWING


GRILL PANELS FOR PANEL DOORS

SCALE: 1/8" = 1'-0"

1/2 LITE



PANEL HEIGHT & MIDRAIL LOCATIONS



NOTES:
HORIZONTAL GRILLE BARS WILL ONLY ALIGN WITH SIMILAR PANELS OR SIDE PANELS