
Pinnacle Series

PRIMED RADIUS DIRECT GLAZE

SECTION DETAILS: HALF ROUND SCALE: 3" = 1'-0"




TRANSOM

FRAME DAYLIGHT SIZE OPENING


HEAD JAMB & SILL

HEAD JAMB & SILL




HALF ROUNDS, FULL ROUNDS & OVALS JAMB


AVAILABLE INTERIOR TRIM PROFILES












3/4"

1 1/2"


Pinnacle Series


PRIMED RADIUS DIRECT GLAZE

SECTION DETAILS: HALF ROUND SCALE: 3" = 1'-0"




HEAD JAMB & SILL







AVAILABLE INTERIOR TRIM PROFILES








 $\begin{array}{c} \text{HALF ROUNDS, FULL ROUNDS \& OVALS} \\ \text{JAMB} \end{array}$





Pinnacle Series PRIMED RADIUS

SECTION DETAILS : CASING OPTIONS
SCALE: 3" = 1'-0"

1 1/4"
2 15/16"


HEAD JAMB WITH
STANDARD 180 BRICKMOULD


SCALE: 3" = 1'-0"

1 3/16"
2 15/16"

4 1/2"

HEAD JAMB WITH
4 1/2" BACKBAND





SILL WITH STANDARD SILL NOSE

Pinnacle Series

PRIMED RADIUS

SECTION DETAILS: DIVIDED LITE OPTIONS


SCALE: 3" = 1'-0"


AVAILABLE STYLES

- PUTTY

ےے - OGEE

____ - CONTEMPORARY






 $[\]frac{\text{NOTE}}{\text{* ALL WDL OPTIONS CAN BE ORDERED WITH OR WITHOUT INNER BAR}}$


Pinnacle Series PRIMED RADIUS

SECTION DETAILS: CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING



JAMBS 2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL 2 X 4 FRAME WITH STUCCO




JAMBS 2 X 4 FRAME WITH STUCCO

NOTE


THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.

Pinnacle Series PRIMED RADIUS


SECTION DETAILS : CONSTRUCTION SCALE: 2" = 1'-0"




HEAD JAMB & SILL 2 X 4 FRAME WITH BRICK VENEER



JAMBS
2 X 4 FRAME WITH BRICK VENEER



HEAD JAMB & SILL 8" CONCRETE BLOCK WALL WITH BRICK VENEER



JAMBS 8" CONCRETE BLOCK WALL WITH BRICK VENEER

NOTE

THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.