


SECTION DETAILS: DIRECT GLAZE SCALE: 3" = 1'-0"



HEAD JAMB & SILL





HEAD JAMB & SILL




- 1. FOR RECTANGULAR UNITS, THE RELATIONSHIP BETWEEN GLASS SIZE, FRAME DIMENSION, ROUGH OPENING AND UNIT DIMENSION IS AS SHOWN ABOVE.
- 2. FOR TRAPEZOID & PENTIOD UNIT, THE RELATIONSHIP BETWEEN GLASS SIZE WIDTH, FRAME DIMENSION WIDTH, ROUGH OPENING WIDTH AND UNIT DIMENSION WIDTH IS AS SHOWN ABOVE.
- 3. ALL OTHER DIMENSIONAL RELATIONSHIPS, INCLUDING HEIGHTS OF TRAPEZOIDS AND PENTOIDS, AND WIDTHS AND HEIGHTS OF TRIANGLES, AND OCTAGONS DEPEND UPON THE INCLUSIVE ANGLES, AND MUST BE CALCULATED SEPARATELY FOR EACH UNIT.

SECTION DETAILS: DIRECT GLAZE WITH CONTEMPORARY STOPS






HEAD JAMB & SILL




HEAD JAMB & SILL



- 1. FOR RECTANGULAR UNITS, THE RELATIONSHIP BETWEEN GLASS SIZE, FRAME DIMENSION, ROUGH OPENING AND UNIT DIMENSION IS AS SHOWN ABOVE.
- 2. FOR TRAPEZOID & PENTIOD UNIT, THE RELATIONSHIP BETWEEN GLASS SIZE WIDTH, FRAME DIMENSION WIDTH, ROUGH OPENING WIDTH AND UNIT DIMENSION WIDTH IS AS SHOWN ABOVE.
- 3. ALL OTHER DIMENSIONAL RELATIONSHIPS, INCLUDING HEIGHTS OF TRAPEZOIDS AND PENTOIDS, AND WIDTHS AND HEIGHTS OF TRIANGLES, AND OCTAGONS DEPEND UPON THE INCLUSIVE ANGLES, AND MUST BE CALCULATED SEPARATELY FOR EACH UNIT.


SECTION DETAILS: 1 1/4" TRIPLE IG DIRECT GLAZE

SCALE: 3" = 1'-0"




- 1. FOR RECTANGULAR UNITS, THE RELATIONSHIP BETWEEN GLASS SIZE, FRAME DIMENSION, ROUGH OPENING AND UNIT DIMENSION IS AS SHOWN ABOVE.
- 2. FOR TRAPEZOID & PENTIOD UNIT, THE RELATIONSHIP BETWEEN GLASS SIZE WIDTH, FRAME DIMENSION WIDTH, ROUGH OPENING WIDTH AND UNIT DIMENSION WIDTH IS AS SHOWN ABOVE.
- 3. ALL OTHER DIMENSIONAL RELATIONSHIPS, INCLUDING HEIGHTS OF TRAPEZOIDS AND PENTOIDS, AND WIDTHS AND HEIGHTS OF TRIANGLES, AND OCTAGONS DEPEND UPON THE INCLUSIVE ANGLES, AND MUST BE CALCULATED SEPARATELY FOR EACH UNIT.

SECTION DETAILS: 1 1/4" TRIPLE IG DIRECT GLAZE WITH CONTEMPORARY STOPS SCALE: 3" = 1'-0"





- 1. FOR RECTANGULAR UNITS, THE RELATIONSHIP BETWEEN GLASS SIZE, FRAME DIMENSION, ROUGH OPENING AND UNIT DIMENSION IS AS SHOWN ABOVE.
- 2. FOR TRAPEZOID & PENTIOD UNIT, THE RELATIONSHIP BETWEEN GLASS SIZE WIDTH, FRAME DIMENSION WIDTH, ROUGH OPENING WIDTH AND UNIT DIMENSION WIDTH IS AS SHOWN ABOVE.
- 3. ALL OTHER DIMENSIONAL RELATIONSHIPS, INCLUDING HEIGHTS OF TRAPEZOIDS AND PENTOIDS, AND WIDTHS AND HEIGHTS OF TRIANGLES, AND OCTAGONS DEPEND UPON THE INCLUSIVE ANGLES, AND MUST BE CALCULATED SEPARATELY FOR EACH UNIT.

SECTION DETAILS: DIRECT GLAZE LOW PROFILE (RADIUS FRAME) SCALE: 3" = 1'-0"












JAMBS

SECTION DETAILS: 1 1/4" TRIPLE IG LOW PROFILE (RADIUS FRAME) SCALE: 3" = 1'-0"



SECTION DETAILS: (RADIUS FRAME) NAIL FIN & DRIP CAP OPTION SCALE: 3" = 1'-0"






HEAD JAMB & SILL


JAMBS

SECTION DETAILS: LOW PROFILE CORNER WINDOW (RADIUS FRAME) SCALE: 3" = 1'-0"

3/4" IG




1 1/4" TRIPLE IG





Pinnacle Series

CLAD DIRECT SET

SECTION DETAILS : CASING OPTIONS SCALE: 3" = 1'-0"










HEAD JAMB WITH CLAD BRICKMOULD CASING

HEAD JAMB WITH CLAD WILLIAMSBURG CASING

HEAD JAMB WITH 3 1/2" CLAD FLAT CASING







SILL WITH 3/8" CLAD SUBSILL

SILL WITH 1 1/4" CLAD SUBSILL

SILL WITH 2 1/4" CLAD SUBSILL




CLAD BRICKMOULD CASING WITH OPTIONAL J-CHANNEL COVER


Pinnacle Series


CLAD DIRECT SET

SECTION DETAILS : LOW PROFILE CASING OPTIONS SCALE: 3" = 1'-0"

1 1/2"










HEAD JAMB WITH CLAD BRICKMOULD CASING

HEAD JAMB WITH CLAD WILLIAMSBURG CASING

HEAD JAMB WITH 3 1/2" CLAD FLAT CASING







SILL WITH 3/8" CLAD SUBSILL


SILL WITH 1 1/4" CLAD SUBSILL

SILL WITH 2 1/4" CLAD SUBSILL




CLAD BRICKMOULD CASING WITH OPTIONAL J-CHANNEL COVER


SECTION DETAILS : MULLIONS SCALE: 3" = 1'-0"




DIRECT SET/DIRECT SET




90° MULLION DIRECT SET/DIRECT SET (ONLY USED WITH 4 9/16" JAMB & 3 1/4" FRAME EXPANDER)



VERTICAL MULLION DIRECT SET/DIRECT SET





VERTICAL MULLION WITH 2" SPREAD MULL ADDITIONAL WIDTHS INCLUDE: 1", 2", 2 1/2", 3", & 4"




NOTE : FOR INFORMATION ON STRUCTURAL MULLIONS REFER TO THE PRODUCT PERFORMANCE AND INFORMATION SECTION.

SECTION DETAILS : LOW PROFILE MULLIONS SCALE: 3" = 1'-0"







90° MULLION DIRECT SET/DIRECT SET (ONLY USED WITH 4 9/16" JAMB & 3 1/4" FRAME EXPANDER)



VERTICAL MULLION DIRECT SET/DIRECT SET



VERTICAL MULLION WITH 2" SPREAD MULL ADDITIONAL WIDTHS INCLUDE: 1", 2", 2 1/2", 3", & 4"



NOTE : FOR INFORMATION ON STRUCTURAL MULLIONS REFER TO THE PRODUCT PERFORMANCE AND INFORMATION SECTION.


Pinnacle Series

CLAD DIRECT SET

SECTION DETAILS : INSIDE STOP & DIVIDED LITE OPTIONS SCALE: 3" = 1'-0"


AVAILABLE STYLES

- 🛆 PUTTY
- ☐ TALL PUTTY
- ے OGEE
- CONTEMPORARY



7/8" WDL WITH

5/8" WDL WITH INNER BAR





1 1/4" WDL WITH

00000000

2" WDL WITH



INSULATING GLASS



3/4" PROFILED INNERGRILLE



INNERGRILLE



7/8" STICK GRILLE





F	
Ę	
F	~

F		
Ł		•
F	V	










NOTE: * ALL WDL OPTIONS CAN BE ORDERED WITH OR WITHOUT INNER BAR

SECTION DETAILS : LOW PROFILE DIVIDED LITE OPTIONS SCALE: 3" = 1'-0"

AVAILABLE STYLES

- 🛆 PUTTY
- ✓ TALL PUTTY
- ____ OGEE
- CONTEMPORARY





7/8" WDL WITH INNERBAR

7Mb.

1 1/4" WDL WITH INNERBAR

111111111111

2" WDL WITH INNERBAR

~_____



INSULATING GLASS





3/4" PROFILED INNERGRILLE



AND

7/8" STICK GRILLE























2010000


ר ר

L	
Ł	3
F	


SECTION DETAILS : CONSTRUCTION SCALE: 2" = 1'-0"




HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING




HEAD JAMB & SILL 2 X 4 FRAME WITH STUCCO




JAMBS 2 X 4 FRAME WITH STUCCO

NOTE : THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.


SECTION DETAILS : CONSTRUCTION SCALE: 2" = 1'-0"




HEAD JAMB & SILL 2 X 4 FRAME WITH BRICK VENEER



JAMBS 2 X 4 FRAME WITH BRICK VENEER




HEAD JAMB & SILL 8" CONCRETE BLOCK WALL WITH BRICK VENEER




JAMBS 8" CONCRETE BLOCK WALL WITH BRICK VENEER

SECTION DETAILS : CORNER WINDOW CONSTRUCTION SCALE: 2" = 1'-0"

2 X 4 FRAME WITH SIDING





OPEN FRAME NO GLASS

