

SECTION DETAILS : OPERATING / STATIONARY SCALE: 3" = 1'-0"

OPERATING



STATIONARY




HEAD JAMB & SILL

JAMBS

SECTION DETAILS : OPERATING / STATIONARY WITH CONTEMPORARY STOPS SCALE: 3" = 1'-0"

OPERATING 5 15/16" 4 9/16" 1 11/16" 1 11/16" 2 5/8" 1 1/4" 2 5/8" DAYLIGHT OPENING OPENING

STATIONARY



HEAD JAMB & SILL

HEAD JAMB & SILL


JAMBS


JAMBS

SECTION DETAILS: PICTURE

SCALE: 3" = 1'-0"

PICTURE (1" IG)





JAMBS

HEAD JAMB & SILL


Pinnacle Impact Series


CLAD CASEMENT

SECTION DETAILS : PICTURE WITH CONTEMPORARY STOPS

SCALE: 3" = 1'-0"

PICTURE (1" IG)





JAMBS


HEAD JAMB & SILL

Pinnacle Impact Series


CLAD CASEMENT

SECTION DETAILS : CASING OPTIONS


SCALE: 3" = 1'-0"




HEAD JAMB WITH CLAD BRICKMOULD CASING




HEAD JAMB WITH CLAD WILLIAMSBURG CASING




HEAD JAMB WITH 3 1/2" CLAD FLAT CASING



SILL WITH 3/8" CLAD SUBSILL



SILL WITH 1 1/4" CLAD SUBSILL





SILL WITH 2 1/4" CLAD SUBSILL




CLAD BRICKMOULD CASING WITH OPTIONAL J-CHANNEL COVER


SECTION DETAILS : MULLIONS SCALE: 3" = 1'-0"







OPERATOR/OPERATOR










SECTION DETAILS: DIVIDED LITE OPTIONS

SCALE: 3" = 1'-0"



NOTE

^{*} ALL WDL OPTIONS CAN BE ORDERED WITH OR WITHOUT INNER BAR

^{*} PERIMETER GRILLES ONLY AVALIABLE IN THE 7/8" AND 1 1/4" OGEE STYLE GLASS STOP (SEE DETAIL: A) 6/2/16