


### Pinnacle Series


### **CLAD DIRECT SET**

SECTION DETAILS: DIRECT GLAZE











#### NOTES

- 1. FOR RECTANGULAR UNITS, THE RELATIONSHIP BETWEEN GLASS SIZE, FRAME DIMENSION, ROUGH OPENING AND UNIT DIMENSION IS AS SHOWN ABOVE.
- 2. FOR TRAPEZOID & PENTIOD UNIT, THE RELATIONSHIP BETWEEN GLASS SIZE WIDTH, FRAME DIMENSION WIDTH, ROUGH OPENING WIDTH AND UNIT DIMENSION WIDTH IS AS SHOWN ABOVE.
- 3. ALL OTHER DIMENSIONAL RELATIONSHIPS, INCLUDING HEIGHTS OF TRAPEZOIDS AND PENTOIDS, AND WIDTHS AND HEIGHTS OF TRIANGLES, AND OCTAGONS DEPEND UPON THE INCLUSIVE ANGLES, AND MUST BE CALCULATED SEPARATELY FOR EACH UNIT.

SECTION DETAILS: 1 1/4" TRIPLE IG DIRECT GLAZE

SCALE: 3" = 1'-0"






#### NOTES:


- 1. FOR RECTANGULAR UNITS, THE RELATIONSHIP BETWEEN GLASS SIZE, FRAME DIMENSION, ROUGH OPENING AND UNIT DIMENSION IS AS SHOWN ABOVE.
- 2. FOR TRAPEZOID & PENTIOD UNIT, THE RELATIONSHIP BETWEEN GLASS SIZE WIDTH, FRAME DIMENSION WIDTH, ROUGH OPENING WIDTH AND UNIT DIMENSION WIDTH IS AS SHOWN ABOVE.
- 3. ALL OTHER DIMENSIONAL RELATIONSHIPS, INCLUDING HEIGHTS OF TRAPEZOIDS AND PENTOIDS, AND WIDTHS AND HEIGHTS OF TRIANGLES, AND OCTAGONS DEPEND UPON THE INCLUSIVE ANGLES, AND MUST BE CALCULATED SEPARATELY FOR EACH UNIT.


SECTION DETAILS: (RADIUS FRAME) NAIL FIN & DRIP CAP OPTION SCALE: 3" = 1'-0"




SECTION DETAILS: DIRECT GLAZE LOW PROFILE (RADIUS FRAME) SCALE: 3" = 1'-0"


#### STANDARD INSIDE STOP







#### 3 1/2" INSIDE STOP





SECTION DETAILS: 1 1/4" TRIPLE IG LOW PROFILE (RADIUS FRAME) SCALE: 3" = 1'-0"







### Pinnacle Series

### **CLAD DIRECT SET**

**SECTION DETAILS: CASING OPTIONS** 


SCALE: 3" = 1'-0"






**CLAD WILLIAMSBURG CASING** 


3 1/2" CLAD FLAT CASING



SILL WITH 3/8" CLAD SUBSILL



SILL WITH 1 1/4" CLAD SUBSILL




SILL WITH 2 1/4" CLAD SUBSILL




CLAD BRICKMOULD CASING WITH OPTIONAL J-CHANNEL COVER

**SECTION DETAILS: MULLIONS** 


SCALE: 3" = 1'-0"




HORIZONTAL MULLION DIRECT SET/DIRECT SET



VERTICAL MULLION DIRECT SET/DIRECT SET



VERTICAL MULLION WITH 2" SPREAD MULL ADDITIONAL WIDTHS INCLUDE: 2 1/2", 4" & 6"



DIRECT SET/DIRECT SET (ONLY USED WITH 4 9/16" JAMB & 3 1/4"


FRAME EXPANDER)

1 11/16" MAX. 3" MAX.

FOR INFORMATION ON STRUCTURAL MULLIONS REFER TO THE PRODUCT PERFORMANCE AND INFORMATION SECTION.

## Pinnacle Series

#### **CLAD DIRECT SET**




NOTE:


<sup>\*</sup> ALL WDL OPTIONS CAN BE ORDERED WITH OR WITHOUT INNER BAR

**SECTION DETAILS: CONSTRUCTION** 


SCALE: 2" = 1'-0"




HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL 2 X 4 FRAME WITH STUCCO




JAMBS 2 X 4 FRAME WITH STUCCO

#### NOTE


THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.

SECTION DETAILS : CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL 2 X 4 FRAME WITH BRICK VENEER



JAMBS 2 X 4 FRAME WITH BRICK VENEER



HEAD JAMB & SILL 8" CONCRETE BLOCK WALL WITH BRICK VENEER



JAMBS 8" CONCRETE BLOCK WALL WITH BRICK VENEER