
Legend HBR Series


HBR CASEMENT

SECTION DETAILS : OPERATING / STATIONARY

SCALE: 3" = 1'-0"




STATIONARY



ELEVATIONS: PICTURE

SCALE: 3" = 1'-0"


PICTURE



Legend HBR CASEMENT


ELEVATIONS: CASING OPTIONS

SCALE: 3" = 1'-0"




SECTION DETAILS: MULLIONS


SCALE: 3" = 1'-0"



HORIZONTAL MULLION STATIONARY/OPERATOR




VERTICAL MULLION OPERATOR/PICTURE



VERTICAL MULLION
OPERATOR WITH 2" SPREAD MULL

SECTION DETAILS: GLASS STOP & DIVIDED LITE OPTIONS

SCALE: 3" = 1'-0"




NOTE

^{*} ALL WDL OPTIONS CAN BE ORDERED WITH OR WITHOUT INNER BAR

^{*} PERIMETER GRILLES ONLY AVAILABLE IN THE 7/8" AND 1 1/4" OGEE STYLE GLASS STOP (SEE DETAIL: A)

SECTION DETAILS : CONSTRUCTION


SCALE: 2" = 1'-0"




JAMB

2 X 6 FRAME WITH SIDING

2 X 6 FRAME WITH SIDING






JAMB 2 X 4 FRAME WITH STUCCO

NOTE .

THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.

SECTION DETAILS: CONSTRUCTION

SCALE: 2" = 1'-0"



NOTE:

THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.

SECTION DETAILS: 30 / 45 DEGREES BAY NOT TO SCALE

