


SECTION DETAILS: DIRECT GLAZE SCALE: 3" = 1'-0"



HEAD JAMB & SILL




HEAD JAMB & SILL




NOTES:

- 1. FOR RECTANGULAR UNITS, THE RELATIONSHIP BETWEEN GLASS SIZE, FRAME DIMENSION, ROUGH OPENING AND UNIT DIMENSION IS AS SHOWN ABOVE.
- 2. FOR TRAPEZOID & PENTIOD UNIT, THE RELATIONSHIP BETWEEN GLASS SIZE WIDTH, FRAME DIMENSION WIDTH, ROUGH OPENING WIDTH AND UNIT DIMENSION WIDTH IS AS SHOWN ABOVE.
- 3. ALL OTHER DIMENSIONAL RELATIONSHIPS, INCLUDING HEIGHTS OF TRAPEZOIDS AND PENTOIDS, AND WIDTHS AND HEIGHTS OF TRIANGLES, AND OCTAGONS DEPEND UPON THE INCLUSIVE ANGLES, AND MUST BE CALCULATED SEPARATELY FOR EACH UNIT.

SECTION DETAILS: 1 1/4" TRIPLE IG DIRECT GLAZE SCALE: 3" = 1'-0"







TRANSOM HEAD JAMB & SILL

NOTES:

- 1. FOR RECTANGULAR UNITS, THE RELATIONSHIP BETWEEN GLASS SIZE, FRAME DIMENSION, ROUGH OPENING AND UNIT DIMENSION IS AS SHOWN ABOVE.
- 2. FOR TRAPEZOID & PENTIOD UNIT, THE RELATIONSHIP BETWEEN GLASS SIZE WIDTH, FRAME DIMENSION WIDTH, ROUGH OPENING WIDTH AND UNIT DIMENSION WIDTH IS AS SHOWN ABOVE.
- 3. ALL OTHER DIMENSIONAL RELATIONSHIPS, INCLUDING HEIGHTS OF TRAPEZOIDS AND PENTOIDS, AND WIDTHS AND HEIGHTS OF TRIANGLES, AND OCTAGONS DEPEND UPON THE INCLUSIVE ANGLES, AND MUST BE CALCULATED SEPARATELY FOR EACH UNIT.

SECTION DETAILS: (RADIUS FRAME) NAIL FIN & DRIP CAP OPTION SCALE: 3" = 1'-0"







HEAD JAMB & SILL


JAMBS

SECTION DETAILS: DIRECT GLAZE LOW PROFILE (RADIUS FRAME) SCALE: 3" = 1'-0"




3 1/2" INSIDE STOP







JAMBS


SECTION DETAILS: 1 1/4" TRIPLE IG LOW PROFILE (RADIUS FRAME) SCALE: 3" = 1'-0"



SECTION DETAILS : CASING OPTIONS SCALE: 3" = 1'-0"










HEAD JAMB WITH CLAD BRICKMOULD CASING

HEAD JAMB WITH CLAD WILLIAMSBURG CASING


HEAD JAMB WITH 3 1/2" CLAD FLAT CASING








SILL WITH 2 1/4" CLAD SUBSILL



SILL WITH 1 1/4" CLAD SUBSILL




CLAD BRICKMOULD CASING WITH OPTIONAL J-CHANNEL COVER


SUBSILL

1 1/4" CLAD SUBSILL


SECTION DETAILS : MULLIONS SCALE: 3" = 1'-0"




HORIZONTAL MULLION DIRECT SET/DIRECT SET




VERTICAL MULLION DIRECT SET/DIRECT SET



VERTICAL MULLION WITH 2" SPREAD MULL ADDITIONAL WIDTHS INCLUDE: 2 1/2", 4" & 6"



NOTE : FOR INFORMATION ON STRUCTURAL MULLIONS REFER TO THE PRODUCT PERFORMANCE AND INFORMATION SECTION.



INNERBAR

71111111 ם ר


20100100




NOTE:

* ALL WDL OPTIONS CAN BE ORDERED WITH OR WITHOUT INNER BAR


SECTION DETAILS : CONSTRUCTION SCALE: 2" = 1'-0"




HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING




HEAD JAMB & SILL 2 X 4 FRAME WITH STUCCO




JAMBS 2 X 4 FRAME WITH STUCCO

NOTE : THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.


SECTION DETAILS : CONSTRUCTION SCALE: 2" = 1'-0"




HEAD JAMB & SILL 2 X 4 FRAME WITH BRICK VENEER



JAMBS 2 X 4 FRAME WITH BRICK VENEER



HEAD JAMB & SILL 8" CONCRETE BLOCK WALL WITH BRICK VENEER



JAMBS 8" CONCRETE BLOCK WALL WITH BRICK VENEER