
Legend HBR Series HBR CASEMENT

SECTION DETAILS : OPERATING / STATIONARY

SCALE: 3" = 1'-0"




STATIONARY - 5 13/16" — – UNIT SIZE -2 5/8 11/16" UNIT SIZE DAYLIGHT FRAME 5 3/4" OPENING 4 9/16" 1 1/4" -- 1 1/4" 2 11/16" 2 5/8" DAYLIGHT 1 1/4" 2 5/8" 🖚 OPENING 3/4 - UNIT SIZE -**HEAD JAMB & SILL**

JAMBS

ELEVATIONS : PICTURE


SCALE: 3" = 1'-0"

PICTURE




ELEVATIONS: CASING OPTIONS

SCALE: 3" = 1'-0"




SECTION DETAILS: MULLIONS


SCALE: 3" = 1'-0"



HORIZONTAL MULLION STATIONARY/OPERATOR




VERTICAL MULLION OPERATOR/PICTURE



VERTICAL MULLION
OPERATOR WITH 2" SPREAD MULL

SECTION DETAILS : GLASS STOP & DIVIDED LITE OPTIONS SCALE: 3" = 1'-0"



NOTE

^{*} ALL WDL OPTIONS CAN BE ORDERED WITH OR WITHOUT INNER BAR


^{*} PERIMETER GRILLES ONLY AVAILABLE IN THE 7/8" AND 1 1/4" OGEE STYLE GLASS STOP (SEE DETAIL: A) 1/29/15


Legend HBR Series

LEGEND HBR CASEMENT


SECTION DETAILS: CONSTRUCTION


SCALE: 2" = 1'-0"





2 X 6 FRAME WITH SIDING






JAMB 2 X 4 FRAME WITH STUCCO

NOTE

THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.

SECTION DETAILS : CONSTRUCTION

SCALE: 2" = 1'-0"



NOTE:

THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.

SECTION DETAILS : 30 / 45 DEGREES BAY NOT TO SCALE

