


SECTION DETAILS : OPERATING / PICTURE SCALE: 3" = 1'-0"






**SECTION DETAILS: TRANSOM** 

SCALE: 3" = 1'-0"




SECTION DETAILS: CASING OPTIONS


SCALE: 3" = 1'-0"




HEAD JAMB WITH CLAD BRICKMOULD CASING




HEAD JAMB WITH CLAD WILLIAMSBURG CASING




HEAD JAMB WITH 3 1/2" CLAD FLAT CASING



SILL WITH 3/8" CLAD SUBSILL



SILL WITH 1 1/4" CLAD SUBSILL




SILL WITH 2 1/4" CLAD SUBSILL





CLAD BRICKMOULD CASING WITH OPTIONAL J-CHANNEL COVER

**SECTION DETAILS: MULLIONS** 


SCALE: 3" = 1'-0"








VERTICAL MULLION OPERATOR/PICTURE



VERTICAL MULLION WITH 2" SPREAD MULL ADDITIONAL WIDTHS INCLUDE: 2 1/2", 4" & 6"




NOTE:

FOR INFORMATION ON STRUCTURAL MULLIONS REFER TO THE PRODUCT PERFORMANCE AND INFORMATION SECTION.

**SECTION DETAILS: DIVIDED LITE OPTIONS** 

SCALE: 3" = 1'-0"




NOTE:
\* ALL WDL OPTIONS CAN BE ORDERED WITH OR WITHOUT INNER BAR


<sup>\*</sup> PERIMETER GRILLES ONLY AVAILABLE IN THE 7/8" AND 1 1/4" OGEE STYLE GLASS STOP (SEE DETAIL: A)

**SECTION DETAILS: CONSTRUCTION** 


SCALE: 2" = 1'-0"



HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING



3/8" FRAME SIZE 3/8"


ROUGH OPENING

JAMBS 2 X 4 FRAME WITH STUCCO


### NOTE:

THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.


SECTION DETAILS : CONSTRUCTION SCALE: 2" = 1'-0"



HEAD JAMB & SILL 2 X 4 FRAME WITH BRICK VENEER



JAMBS 2 X 4 FRAME WITH BRICK VENEER



SECTION DETAILS : 30/45 DEGREES BAY SCALE: 2" = 1'-0"

