


CLAD RADIUS PATIO DOOR - INSWING

SECTION DETAILS SCALE: 3" = 1'-0"







CLAD RADIUS PATIO DOOR - INSWING



CLAD RADIUS PATIO DOOR - OUTSWING

SECTION DETAILS SCALE: 3" = 1'-0"







CLAD RADIUS PATIO DOOR - OUTSWING

SECTION DETAILS SCALE: 1 1/2" = 1'-0" 5 29/32" 5 29/32" 4 9/16" 4 9/16" 7/32 5 3/4' 5 3/4' 4 7/8 4 7/8' DAYLIGHT OPENING DAYLIGHT **OPENING** FRAME SIZE 8 9/16" 8 9/16 10 5/16" 10 5/16" OPERATING HEAD JAMB & SILL STATIONARY HEAD JAMB & SILL FRAME SIZE 4 7/8" 5 29/32" 9/16" 1 7/32" DAYLIGHT OPENING OPENING 2 PANEL JAMB FRAME SIZE -4 7/8" 1 7/32" 1 7/32" DAYLIGHT DAYLIGHT 11 3/32" OPENING OPENING OPENING 3 PANEL JAMB FRAME SIZE 4 7/8" - 1 7/32" 1 7/32" DAYLIGHT DAYLIGHT OPENING **BI-HINGE JAMB**

CLAD RADIUS PATIO DOOR - ADA OUTSWING

SECTION DETAILS SCALE: 3" = 1'-0"







CLAD RADIUS SWINGING PATIO DOOR

SECTION DETAILS: CASING OPTIONS

SCALE: 3" = 1'-0"



HEAD JAMB & SILL WITH CLAD BRICKMOULD CASING



HEAD JAMB & SILL WITH CLAD WILLIAMSBURG CASING




CLAD BRICKMOULD CASING WITH OPTIONAL J-CHANNEL COVER

CLAD SWINGING RADIUS PATIO DOOR


SECTION DETAILS: MULLIONS

SCALE: 3" = 1'-0"

INSWING




VERTICAL MULLION SIDELITE/OPERATOR




VERTICAL MULLION SIDELITE/STATIONARY

OUTSWING



VERTICAL MULLION SIDELITE/OPERATOR



VERTICAL MULLION SIDELITE/STATIONARY

NOTES:

CLAD RADIUS PATIO DOOR

CONTEMPORARY

GLASS STOP

AVAILABLE STYLES

SECTION DETAILS: GLASS STOP & DIVIDED LITE OPTIONS SCALE: 3" = 1'-0"

_ - PUTTY ےے - OGEE **DETAIL: A** - CONTEMPORARY SEE BELOW FOR GRILLE OPTIONS 5/8" WDL WITH 7/8" WDL WITH 1 1/4" WDL WITH 2" WDL WITH **INNER BAR INNERBAR INNERBAR INNERBAR STANDARD INSULATING GLASS** 13/16" INNERGRILLE 3/4" PROFILED INNERGRILLE 1" PROFILED INNERGRILLE 7/8" STICK & PERIMETER GRILLE 1 1/4" STICK &

- INNER BAR

OGEE

GLASS STOP

PERIMETER

GRILLE

PERIMETER GRILLE


NOTE:
* ALL WDL OPTIONS CAN BE ORDERED WITH OR WITHOUT INNER BAR

^{*} PERIMETER GRILLES ONLY AVAILABLE IN THE 7/8" AND 1 1/4" OGEE STYLE GLASS STOP (SEE DETAIL: A) 1/29/15


CLAD RADIUS PATIO DOOR - INSWING

SECTION DETAILS: CONSTRUCTION


SCALE: 1 1/2" = 1'-0"




HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING



JAMBS 2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL 2 X 4 FRAME WITH STUCCO




JAMBS 2 X 4 FRAME WITH STUCCO

NOTES:


CLAD RADIUS PATIO DOOR - INSWING

SECTION DETAILS: CONSTRUCTION


SCALE: 1 1/2" = 1'-0"




HEAD JAMB & SILL 2 X 6 FRAME WITH BRICK VENEER



JAMBS
2 X 6 FRAME WITH BRICK VENEER



HEAD JAMB & SILL 8" CONCRETE BLOCK WALL WITH BRICK VENEER




JAMBS 8" CONCRETE BLOCK WALL WITH BRICK VENEER

NOTES


CLAD RADIUS PATIO DOOR - OUTSWING

SECTION DETAILS : CONSTRUCTION


SCALE: 1 1/2" = 1'-0"




HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING



JAMBS 2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL 2 X 4 FRAME WITH STUCCO




JAMBS 2 X 4 FRAME WITH STUCCO

NOTES:

CLAD PATIO DOOR - OUTSWING

SECTION DETAILS: CONSTRUCTION

SCALE: 1 1/2" = 1'-0"



MASONRY OPENING

1/4"

1/4"


3/8"

FRAME SIZE


3/8"

HEAD JAMB & SILL 2 X 6 FRAME WITH BRICK VENEER

JAMBS
2 X 6 FRAME WITH BRICK VENEER



HEAD JAMB & SILL 8" CONCRETE BLOCK WALL WITH BRICK VENEER



JAMBS 8" CONCRETE BLOCK WALL WITH BRICK VENEER

NOTES