


# Pinnacle Series

## CLAD AWNING


SECTION DETAILS : OPERATING / STATIONARY

SCALE: 3" = 1'-0"

### OPERATING




HEAD JAMB & SILL




JAMBS

### STATIONARY



HEAD JAMB & SILL




JAMBS

# Pinnacle Series


## CLAD AWNING

### SECTION DETAILS : CASING OPTIONS


SCALE: 3" = 1'-0"



HEAD JAMB & SILL WITH  
CLAD BRICKMOULD CASING



HEAD JAMB & SILL WITH CLAD  
WILLIAMSBURG CASING




CLAD BRICKMOULD CASING  
WITH OPTIONAL J-CHANNEL COVER

# Pinnacle Series


## CLAD AWNING

SECTION DETAILS : MULLIONS


SCALE: 3" = 1'-0"




HORIZONTAL MULLION  
STATIONARY/OPERATOR




VERTICAL MULLION  
OPERATOR/PICTURE



VERTICAL MULLION  
OPERATOR/OPERATOR



VERTICAL MULLION WITH  
2" SPREAD MULL  
ADDITIONAL WIDTHS INCLUDE:  
2 1/2", 4" & 6"




# Pinnacle Series

## CLAD AWNING



SECTION DETAILS : GLASS STOP & DIVIDED LITE OPTIONS

SCALE: 3" = 1'-0"


OGEE  
GLASS STOP




CONTEMPORARY  
GLASS STOP




INSULATING GLASS




7/8" WDL  
WITH INNERBAR




7/8" WDL  
WITHOUT INNERBAR




1 1/4" WDL  
WITH INNERBAR




1 1/4" WDL  
WITHOUT INNER BAR




7/8" STICK GRILLE




1 1/4" STICK GRILLE




7/8" PERIMETER GRILLE




1 1/4" PERIMETER GRILLE




13/16" INNERGRILLE




3/4" PROFILED INNERGRILLE




1" PROFILED INNERGRILLE




5/8" PUTTY (TALL) WDL  
WITH INNER BAR




7/8" PUTTY (TALL) WDL  
WITH INNER BAR




2" SIMULATED CHECK RAIL  
WITH INNERBAR



2" SIMULATED CHECK RAIL  
WITHOUT INNERBAR



5/8" PUTTY (SHORT) WDL  
WITH INNER BAR




7/8" PUTTY (SHORT) WDL  
WITH INNER BAR

# Pinnacle Series


## CLAD AWNING

### SECTION DETAILS : CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL  
2 X 6 FRAME WITH SIDING



JAMBS  
2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL  
2 X 4 FRAME WITH STUCCO



JAMBS  
2 X 4 FRAME WITH STUCCO


NOTE :  
THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.

# Pinnacle Series


## CLAD AWNING

SECTION DETAILS : CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL  
2 X 4 FRAME WITH BRICK VENEER



JAMBS  
2 X 4 FRAME WITH BRICK VENEER



HEAD JAMB & SILL  
8" CONCRETE BLOCK WALL  
WITH BRICK VENEER



JAMBS  
8" CONCRETE BLOCK WALL  
WITH BRICK VENEER