

Pinnacle Select Series

CLAD CASEMENT

DESIGN PRESSURE VALUES / MINIMUM AND MAXIMUM MEASUREMENTS

Operating Casement					
Series	Window Type	Performance Level	Size	Performance Grade	Air Infiltration (cfm/ft2)
Pinnacle Clad	Casement Crank-Out	Standard	4266-1	LC-PG60-C	0.05
Pinnacle Clad	Casement Crank-Out	Standard	3096-1	R-PG65-C	0.01
Pinnacle Clad	Casement Crank-Out	Standard	3678-1	LC-PG50-C	0.11

Fixed Casement (Stationary, Picture, Transom)					
Series	Window Type	Performance Level	Size	Performance Grade	Air Infiltration (cfm/ft2)
Pinnacle Clad	Casement Fixed	Standard	7296	CW-PG40-FW	0.02
Pinnacle Clad	Casement Fixed	Standard	4878	R-PG70-FW	0.03
Pinnacle Clad	Casement Fixed	Standard	7278	CW-PG50-FW	0.05

Notes:

Ratings listed were determined using AAMA/WDMA/CSA 101/I.S.2/A440 procedures

Ratings listed qualify all sizes at or below the test size

Glass type and thickness complies with ASTM E 1300 for the DP Values to a minimum of DP-40.

Minimum and Maximum Measurements			
Minimum Frame Width	Minimum Frame Height	Maximum Frame Width	Maximum Frame Height
Operating			
1-4	1-6	3-0	6-6
Stationary / Picture / Transom			
1-6	1-0	6-0	6-6

Pinnacle Select Series

CLAD PUSH-OUT CASEMENT

DESIGN PRESSURE VALUES / MINIMUM AND MAXIMUM MEASUREMENTS

Push-Out Casement					
Series	Window Type	Performance Level	Size	Performance Grade	Air Infiltration (cfm/ft2)
Pinnacle Select	Casement Push-Out	Standard	3678-1	LC-PG50-C	0.15
Pinnacle Select	Casement French Push-Out	Standard	6072-1	CW-PG30-C	0.05

Notes:

Ratings listed were determined using AAMA/WDMA/CSA 101/I.S.2/A440 procedures

Ratings listed qualify all sizes at or below the test size

Glass type and thickness complies with ASTM E 1300 for the DP Values to a minimum of DP-40.

Minimum and Maximum Measurements			
Minimum Frame Width	Minimum Frame Height	Maximum Frame Width	Maximum Frame Height
Operating			
1-4	1-6	3-0	6-6
Operating French Casement			
2-8	1-8	5-0	6-0
Stationary / Picture / Transom			
1-6	1-0	6-0	6-6

*Up to 6'-0" frame height

**Up to 2'-4" frame width