

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"

\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE


Rough Opq.  
\* Frame  
Glass

5-7 1/16  
5-6 1/16  
26 7/8


6-7 1/16  
6-6 1/16  
32 7/8

7-7 1/16  
7-6 1/16  
38 7/8


8-6 1/8  
8-5 1/8  
92 7/8



2680




3080




3680


9-6 1/8  
9-5 1/8  
104 7/8



2690




3090




3690


10-6 1/8  
10-5 1/8  
116 7/8



26100




30100




36100


11-6 1/8  
11-5 1/8  
128 7/8



26110




30110




36110


12-6 1/8  
12-5 1/8  
140 7/8



26120



30120



36120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"

\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE


Rough Opp.  
\* Frame  
Glass

10-8 1/8  
10-7 1/8  
26 7/8


12-8 1/8  
12-7 1/8  
32 7/8

14-8 1/8  
14-7 1/8  
38 7/8


8-6 1/8  
8-5 1/8  
92 7/8



2680




3080




3680


9-6 1/8  
9-5 1/8  
104 7/8



2690




3090




3690


10-6 1/8  
10-5 1/8  
116 7/8



26100




30100




36100


11-6 1/8  
11-5 1/8  
128 7/8



26110




30110




36110


12-6 1/8  
12-5 1/8  
140 7/8



26120



30120



36120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"


\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
 ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE

Rough Opp.  
 \* Frame  
 Glass


15-9 3/16  
 15-8 3/16  
 26 7/8

18-9 3/16  
 18-8 3/16  
 32 7/8

8-6 1/8  
 8-5 1/8  
 92 7/8




2680




3080

9-6 1/8  
 9-5 1/8  
 104 7/8




2690




3090

10-6 1/8  
 10-5 1/8  
 116 7/8




26100




30100

11-6 1/8  
 11-5 1/8  
 128 7/8




26110




30110

12-6 1/8  
 12-5 1/8  
 140 7/8



26120



30120

# Pinnacle Select

## BI-FOLD DOOR

ELEVATIONS

SCALE: 1/8" = 1'-0"

\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE


Rough Opp.  
\* Frame  
Glass

20-10 1/4

20-9 1/4


26 7/8

8-6 1/8  
8-5 1/8  
92 7/8




2680

9-6 1/8  
9-5 1/8  
104 7/8




2690

10-6 1/8  
10-5 1/8  
116 7/8




26100

11-6 1/8  
11-5 1/8  
128 7/8



26110

12-6 1/8  
12-5 1/8  
140 7/8



26120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"

\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE


Rough Opp.  
\* Frame  
Glass

8-2 13/16  
8-1 13/16  
26 7/8


9-8 13/16  
9-7 13/16  
32 7/8

11-2 13/16  
11-1 13/16  
38 7/8


8-6 1/8  
8-5 1/8  
92 7/8



2680




3080




3680


9-6 1/8  
9-5 1/8  
104 7/8



2690




3090




3690


10-6 1/8  
10-5 1/8  
116 7/8



26100




30100




36100


11-6 1/8  
11-5 1/8  
128 7/8



26110




30110




36110


12-6 1/8  
12-5 1/8  
140 7/8



26120



30120



36120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"

\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE


Rough Opp.  
\* Frame  
Glass

13-3 7/8  
13-2 7/8  
26 7/8


15-9 7/8  
15-8 7/8  
32 7/8

18-3 7/8  
18-2 7/8  
38 7/8


8-6 1/8  
8-5 1/8  
92 7/8



2680




3080




3680


9-6 1/8  
9-5 1/8  
104 7/8



2690




3090




3690


10-6 1/8  
10-5 1/8  
116 7/8



26100




30100




36100


11-6 1/8  
11-5 1/8  
128 7/8



26110




30110




36110


12-6 1/8  
12-5 1/8  
140 7/8



26120



30120



36120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"

\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE


Rough Opp.  
\* Frame  
Glass

18-4 15/16

18-3 15/16


26 7/8

8-6 1/8  
8-5 1/8  
92 7/8




2680

9-6 1/8  
9-5 1/8  
104 7/8




2690

10-6 1/8  
10-5 1/8  
116 7/8




26100

11-6 1/8  
11-5 1/8  
128 7/8



26110

12-6 1/8  
12-5 1/8  
140 7/8



26120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"

\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE

Rough Opq.  
\* Frame  
Glass

8-4 9/16

9-10 9/16

11-4 9/16

8-3 9/16

9-9 9/16


11-3 9/16

26 7/8


32 7/8

38 7/8


8-6 1/8  
8-5 1/8  
92 7/8



2680




3080




3680


9-6 1/8  
9-5 1/8  
104 7/8



2690




3090




3690


10-6 1/8  
10-5 1/8  
116 7/8



26100




30100




36100


11-6 1/8  
11-5 1/8  
128 7/8



26110




30110




36110


12-6 1/8  
12-5 1/8  
140 7/8



26120



30120



36120



# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"

\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE


Rough Opq.  
\* Frame  
Glass

13-5 5/8  
13-4 5/8  
26 7/8


15-11 5/8  
15-10 5/8  
32 7/8

18-5 5/8  
18-4 5/8  
38 7/8


8-6 1/8  
8-5 1/8  
92 7/8



2680




3080




3680


9-6 1/8  
9-5 1/8  
104 7/8



2690




3090




3690


10-6 1/8  
10-5 1/8  
116 7/8



26100




30100




36100


11-6 1/8  
11-5 1/8  
128 7/8



26110




30110




36110


12-6 1/8  
12-5 1/8  
140 7/8



26120



30120



36120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"


\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE

Rough Op.  
\* Frame  
Glass


18-6 11/16  
18-5 11/16  
26 7/8

22-0 11/16  
21-11 11/16  
32 7/8

8-6 1/8  
8-5 1/8  
92 7/8




2680




3080

9-6 1/8  
9-5 1/8  
104 7/8




2690




3090

10-6 1/8  
10-5 1/8  
116 7/8




26100




30100

11-6 1/8  
11-5 1/8  
128 7/8




26110




30110

12-6 1/8  
12-5 1/8  
140 7/8



26120



30120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"

\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE


Rough Opg  
\* Frame  
Glass

25-6 11/16

25-5 11/16


38 7/8

8-6 1/8  
8-5 1/8  
92 7/8




3680

9-6 1/8  
9-5 1/8  
104 7/8




3690

10-6 1/8  
10-5 1/8  
116 7/8




36100

11-6 1/8  
11-5 1/8  
128 7/8



36110

12-6 1/8  
12-5 1/8  
140 7/8



36120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"

\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE


Rough Opq.  
\* Frame  
Class

13-5 5/8  
13-4 5/8  
26 7/8


15-11 5/8  
15-10 5/8  
32 7/8

18-5 5/8  
18-4 5/8  
38 7/8


8-6 1/8  
8-5 1/8  
92 7/8



2680




3080




3680


9-6 1/8  
9-5 1/8  
104 7/8



2690




3090




3690


10-6 1/8  
10-5 1/8  
116 7/8



26100




30100




36100


11-6 1/8  
11-5 1/8  
128 7/8



26110




30110




36110


12-6 1/8  
12-5 1/8  
140 7/8



26120



30120



36120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"

\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE

Rough Opg.  
\* Frame  
Glass

18-6 11/16

18-5 11/16


26 7/8

22-0 11/16


21-11 11/16

32 7/8

8-6 1/8  
8-5 1/8  
92 7/8




2680




3080

9-6 1/8  
9-5 1/8  
104 7/8




2690




3090

10-6 1/8  
10-5 1/8  
116 7/8




26100




30100

11-6 1/8  
11-5 1/8  
128 7/8




26110




30110

12-6 1/8  
12-5 1/8  
140 7/8



26120



30120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"

\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE


Rough Opq;  
\* Frame  
Glass

25-6 11/16

25-5 11/16


38 7/8

8-6 1/8  
8-5 1/8  
92 7/8




3680

9-6 1/8  
9-5 1/8  
104 7/8




3690

10-6 1/8  
10-5 1/8  
116 7/8




36100

11-6 1/8  
11-5 1/8  
128 7/8



36110

12-6 1/8  
12-5 1/8  
140 7/8



36120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"


\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE

Rough Opq.  
\* Frame  
Glass


18-6 11/16  
18-5 11/16  
26 7/8

22-0 11/16  
21-11 11/16  
32 7/8

8-6 1/8  
8-5 1/8  
92 7/8




2680




3080

9-6 1/8  
9-5 1/8  
104 7/8




2690




3090

10-6 1/8  
10-5 1/8  
116 7/8




26100




30100

11-6 1/8  
11-5 1/8  
128 7/8




26110




30110

12-6 1/8  
12-5 1/8  
140 7/8



26120



30120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"

\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE


Rough Opp.  
\* Frame  
Glass

25-6 11/16

25-5 11/16


38 7/8

8-6 1/8  
8-5 1/8  
92 7/8




3680

9-6 1/8  
9-5 1/8  
104 7/8




3690

10-6 1/8  
10-5 1/8  
116 7/8




36100

11-6 1/8  
11-5 1/8  
128 7/8



36110

12-6 1/8  
12-5 1/8  
140 7/8



36120



# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"

\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE


Rough Opp.  
\* Frame  
Glass

10-9 3/8  
10-8 3/8  
26 7/8


12-9 3/8  
12-8 3/8  
32 7/8

14-9 3/8  
14-8 3/8  
38 7/8


8-6 1/8  
8-5 1/8  
92 7/8



2680




3080




3680


9-6 1/8  
9-5 1/8  
104 7/8



2690




3090




3690


10-6 1/8  
10-5 1/8  
116 7/8



26100




30100




36100


11-6 1/8  
11-5 1/8  
128 7/8



26110




30110




36110


12-6 1/8  
12-5 1/8  
140 7/8



26120



30120



36120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"


\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
 ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE

Rough Opq.  
 \* Frame  
 Glass


15-10 7/16  
 15-9 7/16  
 26 7/8

18-10 7/16  
 18-9 7/16  
 32 7/8

8-6 1/8  
 8-5 1/8  
 92 7/8




2680




3080

9-6 1/8  
 9-5 1/8  
 104 7/8




2690




3090

10-6 1/8  
 10-5 1/8  
 116 7/8




26100




30100

11-6 1/8  
 11-5 1/8  
 128 7/8




26110




30110

12-6 1/8  
 12-5 1/8  
 140 7/8



26120



30120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"

\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
 ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE


Rough Opp.  
 \* Frame  
 Glass

21-10 7/16

21-9 7/16


38 7/8

8-6 1/8  
 8-5 1/8  
 92 7/8




3680

9-6 1/8  
 9-5 1/8  
 104 7/8




3690

10-6 1/8  
 10-5 1/8  
 116 7/8




36100

11-6 1/8  
 11-5 1/8  
 128 7/8



36110

12-6 1/8  
 12-5 1/8  
 140 7/8



36120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"


\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE

Rough Opq.  
\* Frame  
Glass


20-11 1/2  
20-10 1/2  
26 7/8

24-11 1/2  
24-10 1/2  
32 7/8

8-6 1/8  
8-5 1/8  
92 7/8




2680




3080

9-6 1/8  
9-5 1/8  
104 7/8




2690




3090

10-6 1/8  
10-5 1/8  
116 7/8




26100




30100

11-6 1/8  
11-5 1/8  
128 7/8




26110




30110

12-6 1/8  
12-5 1/8  
140 7/8



26120



30120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"

\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE


Rough Opp.  
\* Frame  
Glass

28-11 1/2

28-10 1/2


38 7/8

8-6 1/8  
8-5 1/8  
92 7/8




3680

9-6 1/8  
9-5 1/8  
104 7/8




3690

10-6 1/8  
10-5 1/8  
116 7/8




36100

11-6 1/8  
11-5 1/8  
128 7/8



36110

12-6 1/8  
12-5 1/8  
140 7/8



36120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"


\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE

Rough Opg  
\* Frame  
Glass


15-10 7/16  
15-9 7/16  
26 7/8

18-10 7/16  
18-9 7/16  
32 7/8

8-6 1/8  
8-5 1/8  
92 7/8




2680




3080

9-6 1/8  
9-5 1/8  
104 7/8




2690




3090

10-6 1/8  
10-5 1/8  
116 7/8




26100




30100

11-6 1/8  
11-5 1/8  
128 7/8




26110




30110

12-6 1/8  
12-5 1/8  
140 7/8



26120



30120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"

\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE


Rough Opp.  
\* Frame  
Glass

21-10 7/16

21-9 7/16


38 7/8

8-6 1/8  
8-5 1/8  
92 7/8




3680

9-6 1/8  
9-5 1/8  
104 7/8




3690

10-6 1/8  
10-5 1/8  
116 7/8




36100

11-6 1/8  
11-5 1/8  
128 7/8



36110

12-6 1/8  
12-5 1/8  
140 7/8



36120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"


\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE

Rough Opp.  
\* Frame  
Glass


20-11 1/2  
20-10 1/2  
26 7/8

24-11 1/2  
24-10 1/2  
32 7/8

8-6 1/8  
8-5 1/8  
92 7/8




2680




3080

9-6 1/8  
9-5 1/8  
104 7/8




2690




3090

10-6 1/8  
10-5 1/8  
116 7/8




26100




30100

11-6 1/8  
11-5 1/8  
128 7/8




26110




30110

12-6 1/8  
12-5 1/8  
140 7/8



26120



30120



# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"

\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
 ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE


Rough Opq.  
 \* Frame  
 Glass

28-11 1/2

28-10 1/2


38 7/8

8-6 1/8  
 8-5 1/8  
 92 7/8




3680

9-6 1/8  
 9-5 1/8  
 104 7/8




3690

10-6 1/8  
 10-5 1/8  
 116 7/8




36100

11-6 1/8  
 11-5 1/8  
 128 7/8



36110

12-6 1/8  
 12-5 1/8  
 140 7/8



36120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS


SCALE: 1/8" = 1'-0"

\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE

Rough Opq.  
\* Frame  
Glass


26-0 9/16  
25-11 9/16  
26 7/8

8-6 1/8  
8-5 1/8  
92 7/8




2680

9-6 1/8  
9-5 1/8  
104 7/8




2690

10-6 1/8  
10-5 1/8  
116 7/8




26100

11-6 1/8  
11-5 1/8  
128 7/8



26110

12-6 1/8  
12-5 1/8  
140 7/8



26120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS


SCALE: 1/8" = 1'-0"

\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
 ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE

Rough Opg.  
 \* Frame  
 Glass


31-0 9/16  
 30-11 9/16  
 32 7/8

8-6 1/8  
 8-5 1/8  
 92 7/8




3080

9-6 1/8  
 9-5 1/8  
 104 7/8




3090

10-6 1/8  
 10-5 1/8  
 116 7/8




30100

11-6 1/8  
 11-5 1/8  
 128 7/8



30110

12-6 1/8  
 12-5 1/8  
 140 7/8



30120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"

\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE


Rough Opg  
\* Frame  
Glass

36-2 11/16

36-1 11/16


26 7/8

8-6 1/8  
8-5 1/8  
92 7/8




2680

9-6 1/8  
9-5 1/8  
104 7/8




2690

10-6 1/8  
10-5 1/8  
116 7/8




26100

11-6 1/8  
11-5 1/8  
128 7/8



26110

12-6 1/8  
12-5 1/8  
140 7/8



26120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"

\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE


Rough Opq.  
\* Frame  
Glass

10-8 5/8  
10-7 5/8  
26 7/8


12-8 5/8  
12-7 5/8  
32 7/8

14-8 5/8  
14-7 5/8  
38 7/8


8-6 1/8  
8-5 1/8  
92 7/8



2680




3080




3680


9-6 1/8  
9-5 1/8  
104 7/8



2690




3090




3690


10-6 1/8  
10-5 1/8  
116 7/8



26100




30100




36100


11-6 1/8  
11-5 1/8  
128 7/8



26110




30110




36110


12-6 1/8  
12-5 1/8  
140 7/8



26120



30120



36120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"


\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE

Rough Opg.  
\* Frame  
Glass


15-9 11/16  
15-8 11/16  
26 7/8

18-9 11/16  
18-8 11/16  
32 7/8

8-6 1/8  
8-5 1/8  
92 7/8




2680




3080

9-6 1/8  
9-5 1/8  
104 7/8




2690




3090

10-6 1/8  
10-5 1/8  
116 7/8




26100




30100

11-6 1/8  
11-5 1/8  
128 7/8




26110




30110

12-6 1/8  
12-5 1/8  
140 7/8



26120



30120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"

\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
 ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE


Rough Opp.  
 \* Frame  
 Glass

21-9 11/16

21-8 11/16


38 7/8

8-6 1/8  
 8-5 1/8  
 92 7/8




3680

9-6 1/8  
 9-5 1/8  
 104 7/8




3690

10-6 1/8  
 10-5 1/8  
 116 7/8




36100

11-6 1/8  
 11-5 1/8  
 128 7/8



36110

12-6 1/8  
 12-5 1/8  
 140 7/8



36120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"


\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE

Rough Opp.  
\* Frame  
Glass


20-10 3/4  
20-9 3/4  
26 7/8

24-10 3/4  
24-9 3/4  
32 7/8

8-6 1/8  
8-5 1/8  
92 7/8




2680




3080

9-6 1/8  
9-5 1/8  
104 7/8




2690




3090

10-6 1/8  
10-5 1/8  
116 7/8




26100




30100

11-6 1/8  
11-5 1/8  
128 7/8




26110




30110

12-6 1/8  
12-5 1/8  
140 7/8



26120



30120



# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"

\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE


Rough Opp.  
\* Frame  
Glass

28-10 3/4

28-9 3/4


38 7/8

8-6 1/8  
8-5 1/8  
92 7/8




3680

9-6 1/8  
9-5 1/8  
104 7/8




3690

10-6 1/8  
10-5 1/8  
116 7/8




36100

11-6 1/8  
11-5 1/8  
128 7/8



36110

12-6 1/8  
12-5 1/8  
140 7/8



36120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"


\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
 ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE

Rough Opg.  
 \* Frame  
 Glass


20-10 3/4  
 20-9 3/4  
 26 7/8

24-10 3/4  
 24-9 3/4  
 32 7/8

8-6 1/8  
 8-5 1/8  
 92 7/8




2680




3080

9-6 1/8  
 9-5 1/8  
 104 7/8




2690




3090

10-6 1/8  
 10-5 1/8  
 116 7/8




26100




30100

11-6 1/8  
 11-5 1/8  
 128 7/8




26110




30110

12-6 1/8  
 12-5 1/8  
 140 7/8



26120



30120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"

\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE


Rough Opp.  
\* Frame  
Glass

28-10 3/4

28-9 3/4


38 7/8

8-6 1/8  
8-5 1/8  
92 7/8




3680

9-6 1/8  
9-5 1/8  
104 7/8




3690

10-6 1/8  
10-5 1/8  
116 7/8




36100

11-6 1/8  
11-5 1/8  
128 7/8



36110

12-6 1/8  
12-5 1/8  
140 7/8



36120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"

\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE


Rough Opp.  
\* Frame  
Glass

31-0 7/8

30-11 7/8


26 7/8

8-6 1/8  
8-5 1/8  
92 7/8




2680

9-6 1/8  
9-5 1/8  
104 7/8




2690

10-6 1/8  
10-5 1/8  
116 7/8




26100

11-6 1/8  
11-5 1/8  
128 7/8



26110

12-6 1/8  
12-5 1/8  
140 7/8



26120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"

\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE


Rough Opp.  
\* Frame  
Glass

37-0 7/8

36-11 7/8


32 7/8

8-6 1/8  
8-5 1/8  
92 7/8




3080

9-6 1/8  
9-5 1/8  
104 7/8




3090

10-6 1/8  
10-5 1/8  
116 7/8




30100

11-6 1/8  
11-5 1/8  
128 7/8



30110

12-6 1/8  
12-5 1/8  
140 7/8



30120

# Pinnacle Select

## BI-FOLD DOOR

### ELEVATIONS

SCALE: 1/8" = 1'-0"

\* FRAME HEIGHT - SUBTRACT 1/2" FOR RECESSED TRACK  
ADD 1/4" FOR RECESSED TRACK WITH DRAINAGE


Rough Opp.  
\* Frame  
Glass

41-3

41-2


26 7/8

8-6 1/8  
8-5 1/8  
92 7/8




2680

9-6 1/8  
9-5 1/8  
104 7/8




2690

10-6 1/8  
10-5 1/8  
116 7/8




26100

11-6 1/8  
11-5 1/8  
128 7/8



26110

12-6 1/8  
12-5 1/8  
140 7/8



26120