

SECTION DETAILS: OPERATING / PICTURE SCALE: 3" = 1'-0"


OPERATING



HEAD JAMB & SILL




JAMBS



HEAD JAMB & SILL


PICTURE



JAMBS

SECTION DETAILS

SECTION DETAILS: OPERATING / PICTURE 4 916" JAMB SCALE: 3" = 1'-0"




HEAD JAMB & SILL


- 3 1/4" 🗕

JAMBS


SECTION DETAILS: MULLIONS SCALE: 3" = 1'-0"




HORIZONTAL MULLION PICTURE/OPERATOR




HORIZONTAL 2" MULLION RADIUS/OPERATOR




VERTICAL MULLION OPERATOR/PICTURE



VERTICAL 2" MULLION OPERATOR/OPERATOR




VERTICAL MULLION OPERATOR/OPERATOR




VERTICAL 2" MULLION OPERATOR/PICTURE


SECTION DETAILS : DIVIDED LITE OPTIONS SCALE: 3" = 1'-0"




INSULATING GLASS




3/4" PROFILED INNERGRILLE




7/8" PUTTY WDL WITH INNERBAR



7/8" PUTTY WDL (EXTERIOR ONLY) WITH 13/16" FLAT INNERGRILLE




5/8" PUTTY WDL WITH INNERBAR




5/8" PUTTY WDL (EXTERIOR ONLY) WITH 5/8" FLAT INNERGRILLE

SECTION DETAILS: BRICKMOULD ACCESSORY SCALE: 3" = 1'-0"




HEAD JAMB WITH BRICKMOULD ACCESSORY


SECTION DETAILS : CONSTRUCTION SCALE: 2" = 1'-0"




HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING



JAMBS 2 X 6 FRAME WITH SIDING




HEAD JAMB & SILL 2 X 4 FRAME WITH STUCCO




JAMBS 2 X 4 FRAME WITH STUCCO

NOTE : THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.


SECTION DETAILS : CONSTRUCTION SCALE: 2" = 1'-0"



HEAD JAMB & SILL 2 X 4 FRAME WITH BRICK VENEER



JAMBS 2 X 4 FRAME WITH BRICK VENEER




8" CONCRETE BLOCK WALL WITH BRICK VENEER JAMBS 8" CONCRETE BLOCK WALL WITH BRICK VENEER

NOTE :


THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.

SECTION DETAILS : 30/45 DEGREE ANGLE BAY HORIZONTAL SECTIONS SCALE: 3" = 1'-0"



Next Dimension Signature Series CASEMENT BOW / BAY

SECTION DETAILS : BOW / BAY SCALE: 3"=1'-0"



NOTES:

Standard set-up unit has hardware, weatherstrip, drip cap, screens, and head and seat boards applied. Standard jamb with extender is 4 9/16". Head and seat boards are select pine, edge-glued, finger-jointed and sanded, 1" finished thickness. Optional 3/4" veneered head and seat boards are available in clear pine and oak.

Rough and masonry opening heights include head and seat boards. If head and seat boards are not specified, subtract 3/4" for each board. Construction materials supplied by others.


* Projection is defined as the dimension from the back of the nailing flange to the exterior of the wall sheathing.

Height Measurements					
BAY		BOW			
Height	R.O. Height	Height	R.O. Height		
42	3-8	48	4-1 1/2		
48	4-2	54	4-7 1/2		
54	4-8	60	5-1 1/2		
66	5-8	66	5-7 1/2		
		72	6-1 1/2		


NOTES:

Bay units must be configured from standard size units. An almost infinite number of combinations are possible from a wide range of standard units available. Add together casement windows of the same height to create any grouping desired.

SECTION DETAILS : BOW SCALE: 2" = 1'-0"



4 WIDE BOW



5 WIDE BOW

OPTIONS:

Bow units must be configured from standard size units. An almost infinite number of combinations are possible from the wide range of casement heights available.

Width Measurements					
4–WIDE					
Width	Unit Width	R.O. Width	Projection		
18	5-9 3/4	5-9 1/2	9-0 1/16		
24	7-8 3/4	7-8 1/2	1-0 1/8		
30	9-7 3/4	9-7 1/2	1-3 3/16		
5-WIDE					
18	7-1 1/4	7-0 3/4	1-1 1/2		
24	9-5	9-4 1/2	1-6		
30	N/A	N/A	N/A		