


## **CLAD RADIUS PATIO DOOR - INSWING**

SECTION DETAILS SCALE: 3" = 1'-0"







### **CLAD RADIUS PATIO DOOR - INSWING**




### **CLAD RADIUS PATIO DOOR - OUTSWING**

SECTION DETAILS SCALE: 3" = 1'-0"







### CLAD RADIUS PATIO DOOR - OUTSWING



### CLAD RADIUS PATIO DOOR - ADA OUTSWING

SECTION DETAILS SCALE: 3" = 1'-0"






# CLAD RADIUS SWINGING PATIO DOOR

SECTION DETAILS: CASING OPTIONS

SCALE: 3" = 1'-0"



1 19/32"

HEAD JAMB WITH CLAD SQUARE BRICKMOULD CASING




CLAD BRICKMOULD CASING WITH OPTIONAL J-CHANNEL COVER


### NOTES:

# Pinnacle Series CLAD SWINGING RADIUS PATIO DOOR

SECTION DETAILS : MULLIONS SCALE: 3" = 1'-0"



VERTICAL MULLION WITH 2" SPREAD MULL SIDELITE/OPERATOR ADDITIONAL WIDTHS INCLUDE: 1", 2", 2 1/2", 3", & 4"




NOTES: 2" SPREAD MULL
THE ABOVE WALL SEGFONS REPRESENTED THE ABOVE WALL SEGFONS REPRESENTED THE ABOVE WALL SEGFONS METROCITONS PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH WEIPURG AS POSITIVED E:

1", 2", 2 1/2", 3", & 4"

# Pinnacle Series CLAD RADIUS PATIO DOOR


SECTION DETAILS : GLASS STOP & DIVIDED LITE OPTIONS SCALE: 3" = 1'-0"




### **CLAD RADIUS PATIO DOOR - INSWING**

SECTION DETAILS : CONSTRUCTION


SCALE: 1 1/2" = 1'-0"




HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING



JAMBS 2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL 2 X 4 FRAME WITH STUCCO




JAMBS 2 X 4 FRAME WITH STUCCO

#### NOTES:


### **CLAD RADIUS PATIO DOOR - INSWING**

SECTION DETAILS: CONSTRUCTION


SCALE: 1 1/2" = 1'-0"




HEAD JAMB & SILL 2 X 6 FRAME WITH BRICK VENEER



JAMBS 2 X 6 FRAME WITH BRICK VENEER



HEAD JAMB & SILL 8" CONCRETE BLOCK WALL WITH BRICK VENEER




JAMBS 8" CONCRETE BLOCK WALL WITH BRICK VENEER

### NOTES:


### **CLAD RADIUS PATIO DOOR - OUTSWING**

SECTION DETAILS : CONSTRUCTION


SCALE: 1 1/2" = 1'-0"




HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING



JAMBS 2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL 2 X 4 FRAME WITH STUCCO




JAMBS 2 X 4 FRAME WITH STUCCO

#### NOTES:

### **CLAD PATIO DOOR - OUTSWING**

SECTION DETAILS: CONSTRUCTION

SCALE: 1 1/2" = 1'-0"



MASONRY OPENING

1/4"

1/4"


3/8"

FRAME SIZE


ROUGH OPENING

HEAD JAMB & SILL 2 X 6 FRAME WITH BRICK VENEER

JAMBS 2 X 6 FRAME WITH BRICK VENEER







JAMBS 8" CONCRETE BLOCK WALL WITH BRICK VENEER

### NOTES: