











Next Dimension Pro Series

RADIUS






ELEVATIONS : HALF ROUND & QUARTER ROUND

SCALE: 1/8" = 1'-0"

HALF ROUND

<p>Mas. Opp. Brickmould Mas. Opp. Standard Rough Opp. Frame</p>	<p>2-0 1/2 2-0 2-0 1-11 1/2</p>	<p>2-6 1/2 2-6 2-6 2-5 1/2</p>	<p>3-0 1/2 3-0 3-0 2-11 1/2</p>	<p>3-6 1/2 3-6 3-6 3-5 1/2</p>			
<p>1-0 1/2 1-0 1-0 1-1 3/4</p>	<p>2412-1  (STANDARD FRAME ONLY)</p>	<p>1-3 1/2 1-3 1-3 1-2 3/4</p>	<p>3015-1 </p>	<p>1-6 1/2 1-6 1-6 1-5 3/4</p>	<p>3618-1 </p>	<p>1-9 1/2 1-9 1-9 1-8 3/4</p>	<p>4221-1 </p>
	<p>4-0 1/2 4-0 4-0 3-11 1/2</p>		<p>4-6 1/2 4-6 4-6 4-5 1/2</p>		<p>5-0 1/2 5-0 5-0 4-11 1/2</p>		
<p>2-0 1/2 2-0 2-0 1-11 3/4</p>	<p>4824-1 </p>	<p>2-3 1/2 2-3 2-3 2-2 3/4</p>	<p>5427-1 </p>	<p>2-6 1/2 2-6 2-6 2-5 3/4</p>	<p>6030-1 </p>		
<p>3-0 1/2 3-0 3-0 2-11 3/4</p>	<p>7236-1 </p>	<p>3-6 1/2 3-6 3-6 3-5 3/4</p>	<p>8442-1 </p>	<p>3-9 1/2 3-9 3-9 3-8 3/4</p>	<p>9045-1 </p>		
	<p>6-0 1/2 6-0 6-0 5-11 1/2</p>		<p>7-0 1/2 7-0 7-0 6-11 1/2</p>		<p>7-6 1/2 7-6 7-6 7-5 1/2</p>		

QUARTER ROUND

























































<p>Mas. Opp. Brickmould Mas. Opp. Standard Rough Opp. Frame</p>	<p>2-0 1/2 2-0 2-0 1-11 1/2</p>	<p>2-6 1/2 2-6 2-6 2-5 1/2</p>	<p>3-0 1/2 3-0 3-0 2-11 1/2</p>	<p>3-6 1/2 3-6 3-6 3-5 1/2</p>	<p>4-0 1/2 4-0 4-0 3-11 1/2</p>				
<p>2-0 1/2 2-0 2-0 1-11 1/2</p>	<p>2424-1 </p>	<p>2-6 1/2 2-6 2-6 2-5 1/2</p>	<p>3030-1 </p>	<p>3-0 1/2 3-0 3-0 2-11 1/2</p>	<p>3636-1 </p>	<p>3-6 1/2 3-6 3-6 3-5 1/2</p>	<p>4242-1 </p>	<p>4-0 1/2 4-0 4-0 3-11 1/2</p>	<p>4848-1 </p>

Next Dimension Pro Series

RADIUS - ROUND TOP PICTURE

ELEVATIONS

SCALE: 1/8" = 1'-0"

R.O. Arch Height	12	15	18	21	24	27	30	36
R.O. Radius								
Mas. Opg. Brickmould	2-0 1/2	2-6 1/2	3-0 1/2	3-6 1/2	4-0 1/2	4-6 1/2	5-0 1/2	6-0 1/2
Mas. Opg. Standard	2-0	2-6	3-0	3-6	4-0	4-6	5-0	6-0
Rough Opg.	2-0	2-6	3-0	3-6	4-0	4-6	5-0	6-0
Frame	1-11 1/2	2-5 1/2	2-11 1/2	3-5 1/2	3-11 1/2	4-5 1/2	4-11 1/2	5-11 1/2
Rough Opg. 12	 2412*	 3012	 3612	 4212	 4812	 5412	 6012	 7212
18	 2418*	 3018	 3618	 4218	 4818	 5418	 6018	 7218
24	 2424*	 3024	 3624	 4224	 4824	 5424	 6024	 7224
30	 2430*	 3030	 3630	 4230	 4830	 5430	 6030	 7230
36	 2436*	 3036	 3636	 4236	 4836	 5436	 6036	 7236
42	 2442*	 3042	 3642	 4242	 4842	 5442	 6042	 7242

*STANDARD FRAME ONLY

NOTES:

TOTAL ROUGH OPENING HEIGHT = LEG RO HEIGHT + ARCH RO HEIGHT

TOTAL FRAME HEIGHT = TOTAL ROUGH OPENING HEIGHT - 1/2"

TOTAL MASONRY HEIGHT (STANDARD) = TOTAL ROUGH OPENING HEIGHT









TOTAL MASONRY HEIGHT (BRICKMOULD) = TOTAL ROUGH OPENING HEIGHT + 1/2"









Next Dimension Pro Series









RADIUS - ROUND TOP PICTURE









ELEVATIONS








SCALE: 1/8" = 1'-0"






R.O. Arch Height	12	15	18	21	24	27	30	36
R.O. Radius								
Mas. Opg. Brickmould	2-0 1/2	2-6 1/2	3-0 1/2	3-6 1/2	4-0 1/2	4-6 1/2	5-0 1/2	6-0 1/2
Mas. Opg. Standard	2-0	2-6	3-0	3-6	4-0	4-6	5-0	6-0
Rough Opg.	2-0	2-6	3-0	3-6	4-0	4-6	5-0	6-0
Frame	1-11 1/2	2-5 1/2	2-11 1/2	3-5 1/2	3-11 1/2	4-5 1/2	4-11 1/2	5-11 1/2

Rough Opg. 48								
	2448*	3048	3648	4248	4848	5448	6048	7248

Rough Opg. 54								
	2454*	3054	3654	4254	4854	5454	6054	7254

Rough Opg. 60								
	2460*	3060	3660	4260	4860	5460	6060	7260

Rough Opg. 66							
	2466*	3066	3666	4266	4866	5466	6066

Rough Opg. 72					
	2472*	3072	3672	4272	4872

*STANDARD FRAME ONLY

NOTES:

TOTAL ROUGH OPENING HEIGHT = LEG RO HEIGHT + ARCH RO HEIGHT

TOTAL FRAME HEIGHT = TOTAL ROUGH OPENING HEIGHT - 1/2"

TOTAL MASONRY HEIGHT (STANDARD) = TOTAL ROUGH OPENING HEIGHT

TOTAL MASONRY HEIGHT (BRICKMOUND) = TOTAL ROUGH OPENING HEIGHT + 1/2"

Next Dimension Pro Series

RADIUS - SEGMENT TOP PICTURE

ELEVATIONS

SCALE: 1/8" = 1'-0"

R.O. Arch Height	3 7/32	4 1/32	4 13/16	5 5/8	6 7/16	7 1/4	8 1/32	9 21/32
R.O. Radius								
Mas. Opg. Brickmould	2-0 1/2	2-6 1/2	3-0 1/2	3-6 1/2	4-0 1/2	4-6 1/2	5-0 1/2	6-0 1/2
Mas. Opg. Standard	2-0	2-6	3-0	3-6	4-0	4-6	5-0	6-0
Rough Opg.	2-0	2-6	3-0	3-6	4-0	4-6	5-0	6-0
Frame	1-11 1/2	2-5 1/2	2-11 1/2	3-5 1/2	3-11 1/2	4-5 1/2	4-11 1/2	5-11 1/2
Rough Opg. 12								
18								
24								
30								
36								
42								
48								
54								
60								
66								
72								

*STANDARD FRAME ONLY

NOTES:

TOTAL ROUGH OPENING HEIGHT = LEG RO HEIGHT + ARCH RO HEIGHT

TOTAL FRAME HEIGHT = TOTAL ROUGH OPENING HEIGHT - 1/2"

TOTAL MASONRY HEIGHT (STANDARD) = TOTAL ROUGH OPENING HEIGHT

TOTAL MASONRY HEIGHT (BRICKMOULD) = TOTAL ROUGH OPENING HEIGHT + 1/2"