


SECTION DETAILS: DIRECT GLAZE SCALE: 3" = 1'-0"



HEAD JAMB & SILL




HEAD JAMB & SILL





- 1. FOR RECTANGULAR UNITS, THE RELATIONSHIP BETWEEN GLASS SIZE, FRAME DIMENSION, ROUGH OPENING AND UNIT DIMENSION IS AS SHOWN ABOVE.
- 2. FOR TRAPEZOID & PENTIOD UNIT, THE RELATIONSHIP BETWEEN GLASS SIZE WIDTH, FRAME DIMENSION WIDTH, ROUGH OPENING WIDTH AND UNIT DIMENSION WIDTH IS AS SHOWN ABOVE.
- 3. ALL OTHER DIMENSIONAL RELATIONSHIPS, INCLUDING HEIGHTS OF TRAPEZOIDS AND PENTOIDS, AND WIDTHS AND HEIGHTS OF TRIANGLES, AND OCTAGONS DEPEND UPON THE INCLUSIVE ANGLES, AND MUST BE CALCULATED SEPARATELY FOR EACH UNIT.

SECTION DETAILS: DIRECT GLAZE WITH CONTEMPORARY STOPS


SCALE: 3" = 1'-0"








HEAD JAMB & SILL




- 1. FOR RECTANGULAR UNITS, THE RELATIONSHIP BETWEEN GLASS SIZE, FRAME DIMENSION, ROUGH OPENING AND UNIT DIMENSION IS AS SHOWN ABOVE.
- 2. FOR TRAPEZOID & PENTIOD UNIT, THE RELATIONSHIP BETWEEN GLASS SIZE WIDTH, FRAME DIMENSION WIDTH, ROUGH OPENING WIDTH AND UNIT DIMENSION WIDTH IS AS SHOWN ABOVE.
- 3. ALL OTHER DIMENSIONAL RELATIONSHIPS, INCLUDING HEIGHTS OF TRAPEZOIDS AND PENTOIDS, AND WIDTHS AND HEIGHTS OF TRIANGLES, AND OCTAGONS DEPEND UPON THE INCLUSIVE ANGLES, AND MUST BE CALCULATED SEPARATELY FOR EACH UNIT.

SECTION DETAILS: 1 1/4" TRIPLE IG DIRECT GLAZE SCALE: 3" = 1'-0"



- 1. FOR RECTANGULAR UNITS, THE RELATIONSHIP BETWEEN GLASS SIZE, FRAME DIMENSION, ROUGH OPENING AND UNIT DIMENSION IS AS SHOWN ABOVE.
- 2. FOR TRAPEZOID & PENTIOD UNIT, THE RELATIONSHIP BETWEEN GLASS SIZE WIDTH, FRAME DIMENSION WIDTH, ROUGH OPENING WIDTH AND UNIT DIMENSION WIDTH IS AS SHOWN ABOVE.
- 3. ALL OTHER DIMENSIONAL RELATIONSHIPS, INCLUDING HEIGHTS OF TRAPEZOIDS AND PENTOIDS, AND WIDTHS AND HEIGHTS OF TRIANGLES, AND OCTAGONS DEPEND UPON THE INCLUSIVE ANGLES, AND MUST BE CALCULATED SEPARATELY FOR EACH UNIT.


SECTION DETAILS: 1 1/4" TRIPLE IG DIRECT GLAZE WITH CONTEMPORARY STOPS SCALE: 3" = 1'-0"



- 1. FOR RECTANGULAR UNITS, THE RELATIONSHIP BETWEEN GLASS SIZE, FRAME DIMENSION, ROUGH OPENING AND UNIT DIMENSION IS AS SHOWN ABOVE.
- 2. FOR TRAPEZOID & PENTIOD UNIT, THE RELATIONSHIP BETWEEN GLASS SIZE WIDTH, FRAME DIMENSION WIDTH, ROUGH OPENING WIDTH AND UNIT DIMENSION WIDTH IS AS SHOWN ABOVE.
- 3. ALL OTHER DIMENSIONAL RELATIONSHIPS, INCLUDING HEIGHTS OF TRAPEZOIDS AND PENTOIDS, AND WIDTHS AND HEIGHTS OF TRIANGLES, AND OCTAGONS DEPEND UPON THE INCLUSIVE ANGLES, AND MUST BE CALCULATED SEPARATELY FOR EACH UNIT.

10/10/19

HEAD JAMB & SILL



SCALE: 3" = 1'-0" 5 15/16" -1 3/8" 4 9/16" -12

1 1/2"

4

1 1/2"

L. 20


FRAME SIZE

3/4'

DAYLIGHT OPENING

3/4"

HEAD JAMB & SILL




JAMBS

JAMBS


CONTEMPORARY INSIDE STOP


Pinnacle Series

SECTION DETAILS: 1 1/4" TRIPLE IG LOW PROFILE (RADIUS FRAME) SCALE: 3" = 1'-0"



SECTION DETAILS: (RADIUS FRAME) NAIL FIN & DRIP CAP OPTION SCALE: 3" = 1'-0"






HEAD JAMB & SILL


JAMBS

SECTION DETAILS: LOW PROFILE CORNER WINDOW (RADIUS FRAME) SCALE: 3" = 1'-0"




3/4" IG


1 1/4" TRIPLE IG




CLAD DIRECT SET

SECTION DETAILS : CASING OPTIONS SCALE: 3" = 1'-0"










HEAD JAMB WITH CLAD BRICKMOULD CASING

HEAD JAMB WITH CLAD WILLIAMSBURG CASING

HEAD JAMB WITH 3 1/2" CLAD FLAT CASING







SILL WITH 3/8" CLAD SUBSILL

SILL WITH 1 1/4" CLAD SUBSILL


SILL WITH 2 1/4" CLAD SUBSILL





CLAD BRICKMOULD CASING WITH OPTIONAL J-CHANNEL COVER

CLAD DIRECT SET

SECTION DETAILS : LOW PROFILE CASING OPTIONS SCALE: 3" = 1'-0"










HEAD JAMB WITH CLAD BRICKMOULD CASING

HEAD JAMB WITH CLAD WILLIAMSBURG CASING

HEAD JAMB WITH 3 1/2" CLAD FLAT CASING







SILL WITH 3/8" CLAD SUBSILL


SILL WITH 1 1/4" CLAD SUBSILL

SILL WITH 2 1/4" CLAD SUBSILL




CLAD BRICKMOULD CASING WITH OPTIONAL J-CHANNEL COVER


SECTION DETAILS : MULLIONS SCALE: 3" = 1'-0"




90° MULLION DIRECT SET/DIRECT SET (ONLY USED WITH 4 9/16" JAMB & 3 1/4" FRAME EXPANDER)








VERTICAL MULLION DIRECT SET/DIRECT SET




VERTICAL MULLION WITH 2" SPREAD MULL ADDITIONAL WIDTHS INCLUDE: 1", 2", 2 1/2", 3", & 4"


SECTION DETAILS : LOW PROFILE MULLIONS SCALE: 3" = 1'-0"




HORIZONTAL MULLION DIRECT SET/DIRECT SET




90° MULLION DIRECT SET/DIRECT SET (ONLY USED WITH 4 9/16" JAMB & 3 1/4" FRAME EXPANDER)




NOTE : FOR INFORMATION ON STRUCTURAL MULLIONS REFER TO THE PRODUCT PERFORMANCE AND INFORMATION SECTION.



VERTICAL MULLION DIRECT SET/DIRECT SET




VERTICAL MULLION WITH 2" SPREAD MULL ADDITIONAL WIDTHS INCLUDE: 1", 2", 2 1/2", 3", & 4"



VERTICAL MULLION DIRECT SET/DIRECT SET CONTEMPORARY STOPS

SECTION DETAILS : LOW PROFILE DIVIDED LITE OPTIONS

SCALE: 3" = 1'-0"









\sum	\exists

NOTE:


* ALL WDL OPTIONS CAN BE ORDERED WITH OR WITHOUT INNER BAR

SECTION DETAILS : LOW PROFILE DIVIDED LITE OPTIONS SCALE: 3" = 1'-0"

AVAILABLE STYLES

- 🛆 PUTTY
- ☐ TALL PUTTY*
- 🖳 OGEE
- CONTEMPORARY
- TALL CONTEMPORARY*


*CLAD EXTERIOR BAR ONLY





7/8" WDL WITH

INNERBAR










1 1/4" WDL WITH

INNERBAR





Ł	\exists
	Π


















╡ ╡

₹ ₹









CLAD DIRECT SET


SECTION DETAILS : CONSTRUCTION SCALE: 2" = 1'-0"




HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL 2 X 4 FRAME WITH STUCCO



2 X 4 FRAME WITH STUCCO

NOTE : THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.


SECTION DETAILS : INSIDE STOP & DIVIDED LITE OPTIONS SCALE: 3" = 1'-0"





- ✓ TALL PUTTY*
- <u>محم</u> OGEE
- CONTEMPORARY
- TALL CONTEMPORARY*

*CLAD EXTERIOR BAR ONLY



7/8" WDL WITH 5/8" WDL WITH INNERBAR



2" WDL WITH INNERBAR







INNER BAR

Π







13/16" INNERGRILLE







Q 3/4" PROFILED INNERGRILLE



dillo-7/8" STICK GRILLE

at Day

1 1/4" STICK GRILLE

















NOTE: * ALL WDL OPTIONS CAN BE ORDERED WITH OR WITHOUT INNER BAR

SECTION DETAILS : INSIDE STOP & DIVIDED LITE OPTIONS SCALE: 3" = 1'-0"


AVAILABLE STYLES

🛆 - PUTTY

- ✓ TALL PUTTY*
- <u>____</u> OGEE
- CONTEMPORARY

- TALL CONTEMPORARY*


*CLAD EXTERIOR BAR ONLY




7/8" WDL WITH


INNERBAR














2" WDL WITH

INNERBAR








1 1/4" WDL WITH

INNERBAR



Ł	3






	>	






CLAD DIRECT SET


SECTION DETAILS : CONSTRUCTION SCALE: 2" = 1'-0"




HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING




HEAD JAMB & SILL 2 X 4 FRAME WITH STUCCO




2 X 4 FRAME WITH STUCCO

NOTE : THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.


SECTION DETAILS : CONSTRUCTION SCALE: 2" = 1'-0"




HEAD JAMB & SILL 2 X 4 FRAME WITH BRICK VENEER



JAMBS 2 X 4 FRAME WITH BRICK VENEER



HEAD JAMB & SILL 8" CONCRETE BLOCK WALL WITH BRICK VENEER





JAMBS 8" CONCRETE BLOCK WALL WITH BRICK VENEER

CLAD DIRECT SET


SECTION DETAILS : CORNER WINDOW CONSTRUCTION SCALE: 2" = 1'-0"

2 X 4 FRAME WITH SIDING







OPEN FRAME NO GLASS




SECTION DETAILS : LOW PROFILE CONSTRUCTION SCALE: 2" = 1'-0"




HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING



HEAD JAMB & SILL 2 X 4 FRAME WITH STUCCO



2 X 4 FRAME WITH STUCCO

NOTE : THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.